



Regulations Compliance Report

Approved Document L1A, 2013 Edition, England assessed by Stroma FSAP 2012 program, Version: 1.0.5.33
 Printed on 23 April 2021 at 11:42:39

Project Information:

Assessed By: Chris Mcdonald (STRO007579) **Building Type:** Detached Bungalow

Dwelling Details:

NEW DWELLING DESIGN STAGE Total Floor Area: 153.77m²
Site Reference : Broome Farm Barn **Plot Reference:** Phase 2 Plot 1 LPG
Address : Land West of Broome Farm Barn, Broome, Craven Arms

Client Details:

Name: Neil Homer
Address :

**This report covers items included within the SAP calculations.
 It is not a complete report of regulations compliance.**

1a TER and DER

Fuel for main heating system: Bulk LPG
 Fuel factor: 1.06 (lpg)
 Target Carbon Dioxide Emission Rate (TER) 23.22 kg/m²
 Dwelling Carbon Dioxide Emission Rate (DER) 22.62 kg/m² **OK**

1b TFEE and DFEE

Target Fabric Energy Efficiency (TFEE) 90.3 kWh/m²
 Dwelling Fabric Energy Efficiency (DFEE) 75.7 kWh/m² **OK**

2 Fabric U-values

Element	Average	Highest	
External wall	0.16 (max. 0.30)	0.16 (max. 0.70)	OK
Floor	0.14 (max. 0.25)	0.14 (max. 0.70)	OK
Roof	0.16 (max. 0.20)	0.16 (max. 0.35)	OK
Openings	1.40 (max. 2.00)	1.40 (max. 3.30)	OK

2a Thermal bridging

Thermal bridging calculated from linear thermal transmittances for each junction

3 Air permeability

Air permeability at 50 pascals 5.00 (design value)
 Maximum 10.0 **OK**

4 Heating efficiency

Main Heating system: Boiler systems with radiators or underfloor heating - LPG
 Data from manufacturer
 Efficiency 90.0 % SEDBUK2009
 Minimum 88.0 % **OK**

Secondary heating system: None

5 Cylinder insulation

Hot water Storage: Measured cylinder loss: 1.79 kWh/day
 Permitted by DBSCG: 2.30 kWh/day **OK**

Primary pipework insulated: Yes **OK**

Regulations Compliance Report



6 Controls

Space heating controls	TTZC by plumbing and electrical services	OK
Hot water controls:	Cylinderstat	OK
	Independent timer for DHW	OK
Boiler interlock:	Yes	OK

7 Low energy lights

Percentage of fixed lights with low-energy fittings	100.0%	
Minimum	75.0%	OK

8 Mechanical ventilation

Not applicable

9 Summertime temperature

Overheating risk (Midlands):	Not significant	OK
Based on:		
Overshading:	Average or unknown	
Windows facing: North West	4.52m ²	
Windows facing: South West	14.08m ²	
Windows facing: South East	2.83m ²	
Windows facing: North East	14.01m ²	
Roof windows facing: South West	1.29m ²	
Ventilation rate:	8.00	
Blinds/curtains:	Dark-coloured curtain or roller blind Closed 100% of daylight hours	

10 Key features

Photovoltaic array

Predicted Energy Assessment




Land West of Broome Farm Barn
Broome
Craven Arms

Dwelling type:
Date of assessment:
Produced by:
Total floor area:

Detached Bungalow
23 April 2021
Chris McDonald
153.77 m²

This is a Predicted Energy Assessment for a property which is not yet complete. It includes a predicted energy rating which might not represent the final energy rating of the property on completion. Once the property is completed, an Energy Performance Certificate is required providing information about the energy performance of the completed property.

Energy performance has been assessed using the SAP 2012 methodology and is rated in terms of the energy use per square metre of floor area, energy efficiency based on fuel costs and environmental impact based on carbon dioxide (CO₂) emissions.



The energy efficiency rating is a measure of the overall efficiency of a home. The higher the rating the more energy efficient the home is and the lower the fuel bills are likely to be.

The environmental impact rating is a measure of a home's impact on the environment in terms of carbon dioxide (CO₂) emissions. The higher the rating the less impact it has on the environment.

SAP Input



Property Details: Phase 2 Plot 1 LPG

Address: Land West of Broome Farm Barn, Broome, Craven Arms
 Located in: England
 Region: Midlands
 UPRN:
 Date of assessment: 23 April 2021
 Date of certificate: 23 April 2021
 Assessment type: New dwelling design stage
 Transaction type: Marketed sale
 Tenure type: Owner-occupied
 Related party disclosure: No related party
 Thermal Mass Parameter: Indicative Value Low
 Water use <= 125 litres/person/day: True
 PCDF Version: 474

Property description:

Dwelling type: Bungalow
 Detachment: Detached
 Year Completed: 2021
 Floor Location: Floor area: Storey height:
 Floor 0 153.77 m² 4.3 m
 Living area: 41.29 m² (fraction 0.269)
 Front of dwelling faces: South

Opening types:

Name:	Source:	Type:	Glazing:	Argon:	Frame:
North West	Manufacturer	Windows	low-E, En = 0.05, soft coat	No	Wood
South West	Manufacturer	Windows	low-E, En = 0.05, soft coat	No	Wood
South East	Manufacturer	Windows	low-E, En = 0.05, soft coat	No	Wood
North East	Manufacturer	Windows	low-E, En = 0.05, soft coat	No	Wood
South West	Manufacturer	Roof Windows	low-E, En = 0.05, soft coat	No	Wood

Name:	Gap:	Frame Factor:	g-value:	U-value:	Area:	No. of Openings:
North West	16mm or more	0.7	0.63	1.4	4.52	1
South West	16mm or more	0.7	0.63	1.4	14.08	1
South East	16mm or more	0.7	0.63	1.4	2.83	1
North East	16mm or more	0.7	0.63	1.4	14.01	1
South West	16mm or more	0.7	0.63	1.4	1.29	1

Name:	Type-Name:	Location:	Orient:	Width:	Height:
North West		External wall	North West	0	0
South West		External wall	South West	0	0
South East		External wall	South East	0	0
North East		External wall	North East	0	0
South West		Sloping ceiling	South West	0.001	0

Overshading: Average or unknown

Opaque Elements:

Type:	Gross area:	Openings:	Net area:	U-value:	Ru value:	Curtain wall:	Kappa:
<u>External Elements</u>							
External wall	197.52	35.44	162.08	0.16	0	False	N/A
Sloping ceiling	218.5	1.29	217.21	0.16	0		N/A
Ground floor	153.77			0.14			N/A
<u>Internal Elements</u>							

SAP Input



Party Elements

Thermal bridges:

Thermal bridges:		User-defined (individual PSI-values) Y-Value = 0.0495			
		Length	Psi-value		
[Approved]		20.49	0.5	E1	Steel lintel with perforated steel base plate
[Approved]		20.49	0.04	E3	Sill
[Approved]		48.3	0.05	E4	Jamb
[Approved]		66.8	0.16	E5	Ground floor (normal)
[Approved]		15	0.09	E16	Corner (normal)
[Approved]		5	-0.09	E17	Corner (inverted internal area greater than external area)
[Approved]		48.4	0.04	E11	Eaves (insulation at rafter level)
[Approved]		15.2	0.08	E13	Gable (insulation at rafter level)

Ventilation:

Pressure test:	Yes (As designed)
Ventilation:	Natural ventilation (extract fans)
Number of chimneys:	0
Number of open flues:	0
Number of fans:	4
Number of passive stacks:	0
Number of sides sheltered:	0
Pressure test:	5

Main heating system:

Main heating system:	Boiler systems with radiators or underfloor heating
	Gas boilers and oil boilers
	Fuel: bulk LPG
	Info Source: Manufacturer Declaration
	Manufacturer's data
	Efficiency: 90.0% (SEDBUK2009)
	Regular condensing with automatic ignition
	Fuel Burning Type:
	Underfloor heating, pipes in screed above insulation
	Central heating pump : 2013 or later
	Design flow temperature: Design flow temperature <= 35°C
	Room-sealed
	Boiler interlock: Yes

Main heating Control:

Main heating Control:	Time and temperature zone control by suitable arrangement of plumbing and electrical services
	Control code: 2110

Secondary heating system:

Secondary heating system:	None
---------------------------	------

Water heating:

Water heating:	From main heating system
	Water code: 901
	Fuel :bulk LPG
	Hot water cylinder
	Cylinder volume: 210 litres
	Cylinder insulation: Factory 100 mm
	Primary pipework insulation: True
	Cylinderstat: True
	Cylinder in heated space: True
	Solar panel: False

Others:

Electricity tariff:	Standard Tariff
In Smoke Control Area:	No

SAP Input



Conservatory:	No conservatory
Low energy lights:	100%
Terrain type:	Rural
EPC language:	English
Wind turbine:	No
Photovoltaics:	<u>Photovoltaic 1</u> Installed Peak power: 1.5 Tilt of collector: 45° Overshading: Modest Collector Orientation: North East
Assess Zero Carbon Home:	No

SAP WorkSheet: New dwelling design stage



User Details:

Assessor Name: Chris Mcdonald **Stroma Number:** STRO007579
Software Name: Stroma FSAP 2012 **Software Version:** Version: 1.0.5.33

Property Address: Phase 2 Plot 1 LPG

Address : Land West of Broome Farm Barn, Broome, Craven Arms

1. Overall dwelling dimensions:

	Area(m ²)	Av. Height(m)	Volume(m ³)
Ground floor	153.77 (1a)	4.3 (2a)	661.21 (3a)
Total floor area TFA = (1a)+(1b)+(1c)+(1d)+(1e)+.....(1n)	153.77 (4)		
Dwelling volume			661.21 (5)

2. Ventilation rate:

	main heating	secondary heating	other	total	m ³ per hour
Number of chimneys	0	0	0	0	0 (6a)
Number of open flues	0	0	0	0	0 (6b)
Number of intermittent fans				4	40 (7a)
Number of passive vents				0	0 (7b)
Number of flueless gas fires				0	0 (7c)

Air changes per hour

Infiltration due to chimneys, flues and fans = (6a)+(6b)+(7a)+(7b)+(7c) =	40	÷ (5) =	0.06 (8)
<i>If a pressurisation test has been carried out or is intended, proceed to (17), otherwise continue from (9) to (16)</i>			
Number of storeys in the dwelling (ns)			0 (9)
Additional infiltration		[(9)-1]x0.1 =	0 (10)
Structural infiltration: 0.25 for steel or timber frame or 0.35 for masonry construction <i>if both types of wall are present, use the value corresponding to the greater wall area (after deducting areas of openings); if equal user 0.35</i>			0 (11)
If suspended wooden floor, enter 0.2 (unsealed) or 0.1 (sealed), else enter 0			0 (12)
If no draught lobby, enter 0.05, else enter 0			0 (13)
Percentage of windows and doors draught stripped			0 (14)
Window infiltration	0.25 - [0.2 x (14) ÷ 100] =		0 (15)
Infiltration rate	(8) + (10) + (11) + (12) + (13) + (15) =		0 (16)
Air permeability value, q50, expressed in cubic metres per hour per square metre of envelope area			5 (17)
If based on air permeability value, then (18) = [(17) ÷ 20]+(8), otherwise (18) = (16)			0.31 (18)
<i>Air permeability value applies if a pressurisation test has been done or a degree air permeability is being used</i>			
Number of sides sheltered			0 (19)
Shelter factor	(20) = 1 - [0.075 x (19)] =		1 (20)
Infiltration rate incorporating shelter factor	(21) = (18) x (20) =		0.31 (21)

Infiltration rate modified for monthly wind speed

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Monthly average wind speed from Table 7

(22)m=	5.1	5	4.9	4.4	4.3	3.8	3.8	3.7	4	4.3	4.5	4.7
--------	-----	---	-----	-----	-----	-----	-----	-----	---	-----	-----	-----

Wind Factor (22a)m = (22)m ÷ 4

(22a)m=	1.27	1.25	1.23	1.1	1.08	0.95	0.95	0.92	1	1.08	1.12	1.18
---------	------	------	------	-----	------	------	------	------	---	------	------	------

SAP WorkSheet: New dwelling design stage



Adjusted infiltration rate (allowing for shelter and wind speed) = (21a) x (22a)m

0.4	0.39	0.38	0.34	0.33	0.29	0.29	0.29	0.31	0.33	0.35	0.36
-----	------	------	------	------	------	------	------	------	------	------	------

Calculate effective air change rate for the applicable case

If mechanical ventilation:

0 (23a)

If exhaust air heat pump using Appendix N, (23b) = (23a) x Fmv (equation (N5)) , otherwise (23b) = (23a)

0 (23b)

If balanced with heat recovery: efficiency in % allowing for in-use factor (from Table 4h) =

0 (23c)

a) If balanced mechanical ventilation with heat recovery (MVHR) (24a)m = (22b)m + (23b) x [1 - (23c) ÷ 100]

(24a)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24a)

b) If balanced mechanical ventilation without heat recovery (MV) (24b)m = (22b)m + (23b)

(24b)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24b)

c) If whole house extract ventilation or positive input ventilation from outside

if (22b)m < 0.5 x (23b), then (24c) = (23b); otherwise (24c) = (22b) m + 0.5 x (23b)

(24c)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24c)

d) If natural ventilation or whole house positive input ventilation from loft

if (22b)m = 1, then (24d)m = (22b)m otherwise (24d)m = 0.5 + [(22b)m² x 0.5]

(24d)m= 0.58 0.58 0.57 0.56 0.56 0.54 0.54 0.54 0.55 0.56 0.56 0.57 (24d)

Effective air change rate - enter (24a) or (24b) or (24c) or (24d) in box (25)

(25)m= 0.58 0.58 0.57 0.56 0.56 0.54 0.54 0.54 0.55 0.56 0.56 0.57 (25)

3. Heat losses and heat loss parameter:

ELEMENT	Gross area (m ²)	Openings m ²	Net Area A ,m ²	U-value W/m ² K	A X U (W/K)	k-value kJ/m ² -K	A X k kJ/K
Windows Type 1			4.52	$x1/[1/(1.4)+0.04] =$	5.99		(27)
Windows Type 2			14.08	$x1/[1/(1.4)+0.04] =$	18.67		(27)
Windows Type 3			2.83	$x1/[1/(1.4)+0.04] =$	3.75		(27)
Windows Type 4			14.01	$x1/[1/(1.4)+0.04] =$	18.57		(27)
Rooflights			1.29	$x1/[1/(1.4)+0.04] =$	1.806		(27b)
Floor			153.77	x 0.14 =	21.5278		(28)
Walls	197.52	35.44	162.08	x 0.16 =	25.93		(29)
Roof	218.5	1.29	217.21	x 0.16 =	34.75		(30)
Total area of elements, m ²			569.79				(31)

* for windows and roof windows, use effective window U-value calculated using formula $1/[1/(U\text{-value})+0.04]$ as given in paragraph 3.2

** include the areas on both sides of internal walls and partitions

Fabric heat loss, W/K = S (A x U) (26)...(30) + (32) = 130.91 (33)

Heat capacity Cm = S(A x k) ((28)...(30) + (32) + (32a)...(32e) = 20328.31 (34)

Thermal mass parameter (TMP = Cm ÷ TFA) in kJ/m²K Indicative Value: Low 100 (35)

For design assessments where the details of the construction are not known precisely the indicative values of TMP in Table 1f can be used instead of a detailed calculation.

Thermal bridges : S (L x Y) calculated using Appendix K 28.22 (36)

if details of thermal bridging are not known (36) = 0.05 x (31)

Total fabric heat loss (33) + (36) = 159.13 (37)

Ventilation heat loss calculated monthly (38)m = 0.33 x (25)m x (5)

(38)m=	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	126.2	125.53	124.88	121.83	121.25	118.59	118.59	118.1	119.62	121.25	122.41	123.62

Heat transfer coefficient, W/K (39)m = (37) + (38)m

(39)m= 285.33 284.66 284.01 280.96 280.38 277.72 277.72 277.23 278.75 280.38 281.54 282.75 (39)

SAP WorkSheet: New dwelling design stage

Heat loss parameter (HLP), W/m²K

(40)m = (39)m ÷ (4)

(40)m=	1.86	1.85	1.85	1.83	1.82	1.81	1.81	1.8	1.81	1.82	1.83	1.84		
	Average = Sum(40) _{1...12} / 12 =												1.83	(40)

Number of days in month (Table 1a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(41)m=	31	28	31	30	31	30	31	31	30	31	30	31	(41)

4. Water heating energy requirement: kWh/year:

Assumed occupancy, N 2.94 (42)
 if TFA > 13.9, N = 1 + 1.76 x [1 - exp(-0.000349 x (TFA - 13.9)²)] + 0.0013 x (TFA - 13.9)
 if TFA ≤ 13.9, N = 1

Annual average hot water usage in litres per day Vd,average = (25 x N) + 36 104.02 (43)

Reduce the annual average hot water usage by 5% if the dwelling is designed to achieve a water use target of not more than 125 litres per person per day (all water use, hot and cold)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
(44)m=	114.43	110.26	106.1	101.94	97.78	93.62	93.62	97.78	101.94	106.1	110.26	114.43		
	Total = Sum(44) _{1...12} =												1248.28	(44)

Energy content of hot water used - calculated monthly = 4.190 x Vd,m x nm x DTm / 3600 kWh/month (see Tables 1b, 1c, 1d)

(45)m=	169.69	148.41	153.15	133.52	128.11	110.55	102.44	117.55	118.96	138.63	151.33	164.34		
	Total = Sum(45) _{1...12} =												1636.69	(45)

If instantaneous water heating at point of use (no hot water storage), enter 0 in boxes (46) to (61)

(46)m=	25.45	22.26	22.97	20.03	19.22	16.58	15.37	17.63	17.84	20.8	22.7	24.65	(46)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	------	-------	------

Water storage loss:

Storage volume (litres) including any solar or WWHRS storage within same vessel 210 (47)

If community heating and no tank in dwelling, enter 110 litres in (47)

Otherwise if no stored hot water (this includes instantaneous combi boilers) enter '0' in (47)

Water storage loss:

a) If manufacturer's declared loss factor is known (kWh/day): 0 (48)

Temperature factor from Table 2b 0 (49)

Energy lost from water storage, kWh/year (48) x (49) = 210 (50)

b) If manufacturer's declared cylinder loss factor is not known:

Hot water storage loss factor from Table 2 (kWh/litre/day) 0.01 (51)

If community heating see section 4.3

Volume factor from Table 2a 0.83 (52)

Temperature factor from Table 2b 0.54 (53)

Energy lost from water storage, kWh/year (47) x (51) x (52) x (53) = 0.97 (54)

Enter (50) or (54) in (55) 0.97 (55)

Water storage loss calculated for each month ((56)m = (55) x (41)m

(56)m=	30.01	27.11	30.01	29.05	30.01	29.05	30.01	30.01	29.05	30.01	29.05	30.01	(56)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

If cylinder contains dedicated solar storage, (57)m = (56)m x [(50) - (H11)] ÷ (50), else (57)m = (56)m where (H11) is from Appendix H

(57)m=	30.01	27.11	30.01	29.05	30.01	29.05	30.01	30.01	29.05	30.01	29.05	30.01	(57)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Primary circuit loss (annual) from Table 3 0 (58)

Primary circuit loss calculated for each month (59)m = (58) ÷ 365 x (41)m

(modified by factor from Table H5 if there is solar water heating and a cylinder thermostat)

(59)m=	23.26	21.01	23.26	22.51	23.26	22.51	23.26	23.26	22.51	23.26	22.51	23.26	(59)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

SAP WorkSheet: New dwelling design stage



Combi loss calculated for each month (61)m = (60) ÷ 365 × (41)m

(61)m=	0	0	0	0	0	0	0	0	0	0	0	0	(61)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Total heat required for water heating calculated for each month (62)m = 0.85 × (45)m + (46)m + (57)m + (59)m + (61)m

(62)m=	222.97	196.53	206.42	185.07	181.39	162.11	155.72	170.83	170.52	191.91	202.89	217.61	(62)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Solar DHW input calculated using Appendix G or Appendix H (negative quantity) (enter '0' if no solar contribution to water heating)

(add additional lines if FGHRs and/or WWHRs applies, see Appendix G)

(63)m=	0	0	0	0	0	0	0	0	0	0	0	0	(63)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Output from water heater

(64)m=	222.97	196.53	206.42	185.07	181.39	162.11	155.72	170.83	170.52	191.91	202.89	217.61	(64)
Output from water heater (annual) ^{1...12}												2263.97	

Heat gains from water heating, kWh/month $0.25 \times [0.85 \times (45)m + (61)m] + 0.8 \times [(46)m + (57)m + (59)m]$

(65)m=	99.04	87.84	93.54	85.64	85.22	78	76.68	81.71	80.8	88.72	91.56	97.26	(65)
--------	-------	-------	-------	-------	-------	----	-------	-------	------	-------	-------	-------	------

include (57)m in calculation of (65)m only if cylinder is in the dwelling or hot water is from community heating

5. Internal gains (see Table 5 and 5a):

Metabolic gains (Table 5), Watts

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(66)m=	176.4	176.4	176.4	176.4	176.4	176.4	176.4	176.4	176.4	176.4	176.4	176.4	(66)

Lighting gains (calculated in Appendix L, equation L9 or L9a), also see Table 5

(67)m=	72.34	64.26	52.26	39.56	29.57	24.97	26.98	35.07	47.07	59.76	69.75	74.36	(67)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Appliances gains (calculated in Appendix L, equation L13 or L13a), also see Table 5

(68)m=	484.47	489.5	476.83	449.86	415.81	383.82	362.44	357.41	370.08	397.05	431.1	463.09	(68)
--------	--------	-------	--------	--------	--------	--------	--------	--------	--------	--------	-------	--------	------

Cooking gains (calculated in Appendix L, equation L15 or L15a), also see Table 5

(69)m=	55.58	55.58	55.58	55.58	55.58	55.58	55.58	55.58	55.58	55.58	55.58	55.58	(69)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Pumps and fans gains (Table 5a)

(70)m=	3	3	3	3	3	3	3	3	3	3	3	3	(70)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Losses e.g. evaporation (negative values) (Table 5)

(71)m=	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	(71)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Water heating gains (Table 5)

(72)m=	133.12	130.72	125.73	118.94	114.54	108.34	103.07	109.82	112.22	119.24	127.17	130.73	(72)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Total internal gains = (66)m + (67)m + (68)m + (69)m + (70)m + (71)m + (72)m

(73)m=	807.31	801.85	772.19	725.74	677.3	634.5	609.86	619.68	646.75	693.43	745.39	785.55	(73)
--------	--------	--------	--------	--------	-------	-------	--------	--------	--------	--------	--------	--------	------

6. Solar gains:

Solar gains are calculated using solar flux from Table 6a and associated equations to convert to the applicable orientation.

Orientation:	Access Factor Table 6d	Area m ²	Flux Table 6a	g _o Table 6b	FF Table 6c	Gains (W)
Northeast 0.9x	0.77	14.01	11.28	0.63	0.7	48.31 (75)
Northeast 0.9x	0.77	14.01	22.97	0.63	0.7	98.34 (75)
Northeast 0.9x	0.77	14.01	41.38	0.63	0.7	177.17 (75)
Northeast 0.9x	0.77	14.01	67.96	0.63	0.7	290.96 (75)
Northeast 0.9x	0.77	14.01	91.35	0.63	0.7	391.11 (75)



SAP WorkSheet: New dwelling design stage

Northeast 0.9x	0.77	x	14.01	x	97.38	x	0.63	x	0.7	=	416.97	(75)
Northeast 0.9x	0.77	x	14.01	x	91.1	x	0.63	x	0.7	=	390.06	(75)
Northeast 0.9x	0.77	x	14.01	x	72.63	x	0.63	x	0.7	=	310.96	(75)
Northeast 0.9x	0.77	x	14.01	x	50.42	x	0.63	x	0.7	=	215.88	(75)
Northeast 0.9x	0.77	x	14.01	x	28.07	x	0.63	x	0.7	=	120.17	(75)
Northeast 0.9x	0.77	x	14.01	x	14.2	x	0.63	x	0.7	=	60.79	(75)
Northeast 0.9x	0.77	x	14.01	x	9.21	x	0.63	x	0.7	=	39.45	(75)
Southeast 0.9x	0.77	x	2.83	x	36.79	x	0.63	x	0.7	=	31.82	(77)
Southeast 0.9x	0.77	x	2.83	x	62.67	x	0.63	x	0.7	=	54.21	(77)
Southeast 0.9x	0.77	x	2.83	x	85.75	x	0.63	x	0.7	=	74.17	(77)
Southeast 0.9x	0.77	x	2.83	x	106.25	x	0.63	x	0.7	=	91.9	(77)
Southeast 0.9x	0.77	x	2.83	x	119.01	x	0.63	x	0.7	=	102.93	(77)
Southeast 0.9x	0.77	x	2.83	x	118.15	x	0.63	x	0.7	=	102.19	(77)
Southeast 0.9x	0.77	x	2.83	x	113.91	x	0.63	x	0.7	=	98.52	(77)
Southeast 0.9x	0.77	x	2.83	x	104.39	x	0.63	x	0.7	=	90.29	(77)
Southeast 0.9x	0.77	x	2.83	x	92.85	x	0.63	x	0.7	=	80.31	(77)
Southeast 0.9x	0.77	x	2.83	x	69.27	x	0.63	x	0.7	=	59.91	(77)
Southeast 0.9x	0.77	x	2.83	x	44.07	x	0.63	x	0.7	=	38.12	(77)
Southeast 0.9x	0.77	x	2.83	x	31.49	x	0.63	x	0.7	=	27.23	(77)
Southwest 0.9x	0.77	x	14.08	x	36.79		0.63	x	0.7	=	158.32	(79)
Southwest 0.9x	0.77	x	14.08	x	62.67		0.63	x	0.7	=	269.69	(79)
Southwest 0.9x	0.77	x	14.08	x	85.75		0.63	x	0.7	=	369	(79)
Southwest 0.9x	0.77	x	14.08	x	106.25		0.63	x	0.7	=	457.2	(79)
Southwest 0.9x	0.77	x	14.08	x	119.01		0.63	x	0.7	=	512.11	(79)
Southwest 0.9x	0.77	x	14.08	x	118.15		0.63	x	0.7	=	508.4	(79)
Southwest 0.9x	0.77	x	14.08	x	113.91		0.63	x	0.7	=	490.15	(79)
Southwest 0.9x	0.77	x	14.08	x	104.39		0.63	x	0.7	=	449.2	(79)
Southwest 0.9x	0.77	x	14.08	x	92.85		0.63	x	0.7	=	399.54	(79)
Southwest 0.9x	0.77	x	14.08	x	69.27		0.63	x	0.7	=	298.06	(79)
Southwest 0.9x	0.77	x	14.08	x	44.07		0.63	x	0.7	=	189.64	(79)
Southwest 0.9x	0.77	x	14.08	x	31.49		0.63	x	0.7	=	135.49	(79)
Northwest 0.9x	0.77	x	4.52	x	11.28	x	0.63	x	0.7	=	15.59	(81)
Northwest 0.9x	0.77	x	4.52	x	22.97	x	0.63	x	0.7	=	31.73	(81)
Northwest 0.9x	0.77	x	4.52	x	41.38	x	0.63	x	0.7	=	57.16	(81)
Northwest 0.9x	0.77	x	4.52	x	67.96	x	0.63	x	0.7	=	93.87	(81)
Northwest 0.9x	0.77	x	4.52	x	91.35	x	0.63	x	0.7	=	126.18	(81)
Northwest 0.9x	0.77	x	4.52	x	97.38	x	0.63	x	0.7	=	134.52	(81)
Northwest 0.9x	0.77	x	4.52	x	91.1	x	0.63	x	0.7	=	125.84	(81)
Northwest 0.9x	0.77	x	4.52	x	72.63	x	0.63	x	0.7	=	100.32	(81)
Northwest 0.9x	0.77	x	4.52	x	50.42	x	0.63	x	0.7	=	69.65	(81)
Northwest 0.9x	0.77	x	4.52	x	28.07	x	0.63	x	0.7	=	38.77	(81)

SAP WorkSheet: New dwelling design stage

Northwest 0.9x	0.77	x	4.52	x	14.2	x	0.63	x	0.7	=	19.61	(81)
Northwest 0.9x	0.77	x	4.52	x	9.21	x	0.63	x	0.7	=	12.73	(81)
Rooflights 0.9x	1	x	1.29	x	39.98	x	0.63	x	0.7	=	20.47	(82)
Rooflights 0.9x	1	x	1.29	x	73.48	x	0.63	x	0.7	=	37.62	(82)
Rooflights 0.9x	1	x	1.29	x	112.11	x	0.63	x	0.7	=	57.4	(82)
Rooflights 0.9x	1	x	1.29	x	153.81	x	0.63	x	0.7	=	78.75	(82)
Rooflights 0.9x	1	x	1.29	x	182.63	x	0.63	x	0.7	=	93.51	(82)
Rooflights 0.9x	1	x	1.29	x	184.99	x	0.63	x	0.7	=	94.72	(82)
Rooflights 0.9x	1	x	1.29	x	176.88	x	0.63	x	0.7	=	90.57	(82)
Rooflights 0.9x	1	x	1.29	x	155.4	x	0.63	x	0.7	=	79.56	(82)
Rooflights 0.9x	1	x	1.29	x	126.86	x	0.63	x	0.7	=	64.95	(82)
Rooflights 0.9x	1	x	1.29	x	84.6	x	0.63	x	0.7	=	43.31	(82)
Rooflights 0.9x	1	x	1.29	x	48.93	x	0.63	x	0.7	=	25.05	(82)
Rooflights 0.9x	1	x	1.29	x	33.5	x	0.63	x	0.7	=	17.15	(82)

Solar gains in watts, calculated for each month (83)m = Sum(74)m ... (82)m

(83)m=	274.51	491.58	734.89	1012.69	1225.84	1256.8	1195.15	1030.33	830.33	560.23	333.2	232.06	(83)
--------	--------	--------	--------	---------	---------	--------	---------	---------	--------	--------	-------	--------	------

Total gains – internal and solar (84)m = (73)m + (83)m , watts

(84)m=	1081.82	1293.42	1507.08	1738.43	1903.14	1891.29	1805.01	1650.01	1477.08	1253.66	1078.59	1017.61	(84)
--------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	------

7. Mean internal temperature (heating season)

Temperature during heating periods in the living area from Table 9, Th1 (°C) 21 (85)

Utilisation factor for gains for living area, h1,m (see Table 9a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(86)m=	0.96	0.94	0.91	0.85	0.77	0.65	0.53	0.58	0.75	0.89	0.94	0.96	(86)

Mean internal temperature in living area T1 (follow steps 3 to 7 in Table 9c)

(87)m=	18.26	18.51	18.94	19.52	20.06	20.48	20.69	20.64	20.29	19.59	18.83	18.22	(87)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Temperature during heating periods in rest of dwelling from Table 9, Th2 (°C)

(88)m=	19.43	19.43	19.44	19.45	19.45	19.47	19.47	19.47	19.46	19.45	19.45	19.44	(88)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Utilisation factor for gains for rest of dwelling, h2,m (see Table 9a)

(89)m=	0.95	0.93	0.89	0.82	0.71	0.55	0.39	0.44	0.67	0.86	0.93	0.96	(89)
--------	------	------	------	------	------	------	------	------	------	------	------	------	------

Mean internal temperature in the rest of dwelling T2 (follow steps 3 to 7 in Table 9c)

(90)m=	15.91	16.26	16.88	17.69	18.42	18.96	19.18	19.15	18.76	17.82	16.73	15.85	(90)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

fLA = Living area ÷ (4) = 0.27 (91)

Mean internal temperature (for the whole dwelling) = fLA × T1 + (1 – fLA) × T2

(92)m=	16.54	16.87	17.43	18.18	18.86	19.37	19.58	19.55	19.17	18.3	17.29	16.49	(92)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	-------	-------	------

Apply adjustment to the mean internal temperature from Table 4e, where appropriate

(93)m=	16.54	16.87	17.43	18.18	18.86	19.37	19.58	19.55	19.17	18.3	17.29	16.49	(93)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	-------	-------	------

8. Space heating requirement

Set Ti to the mean internal temperature obtained at step 11 of Table 9b, so that Ti,m=(76)m and re-calculate the utilisation factor for gains using Table 9a

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(94)m=	0.93	0.91	0.86	0.79	0.69	0.55	0.4	0.45	0.65	0.83	0.91	0.94	(94)

SAP WorkSheet: New dwelling design stage



Useful gains, hmGm , W = (94)m x (84)m

(95)m=	1007.77	1171.09	1301.21	1375.28	1305.81	1031.78	726.36	740.87	966.1	1035.41	979.36	954.84	(95)
--------	---------	---------	---------	---------	---------	---------	--------	--------	-------	---------	--------	--------	------

Monthly average external temperature from Table 8

(96)m=	4.3	4.9	6.5	8.9	11.7	14.6	16.6	16.4	14.1	10.6	7.1	4.2	(96)
--------	-----	-----	-----	-----	------	------	------	------	------	------	-----	-----	------

Heat loss rate for mean internal temperature, Lm , W =[(39)m x [(93)m– (96)m]

(97)m=	3491.65	3406.36	3104.93	2607.62	2007.94	1324	828.7	873.39	1412.83	2157.84	2870.15	3473.84	(97)
--------	---------	---------	---------	---------	---------	------	-------	--------	---------	---------	---------	---------	------

Space heating requirement for each month, kWh/month = 0.024 x [(97)m – (95)m] x (41)m

(98)m=	1848	1502.1	1341.97	887.29	522.38	0	0	0	0	835.09	1361.37	1874.13	(98)
--------	------	--------	---------	--------	--------	---	---	---	---	--------	---------	---------	------

Total per year (kWh/year) = Sum(98)_{1...5,9...12} = 10172.34

Space heating requirement in kWh/m²/year

(99)	66.15
------	-------

9a. Energy requirements – Individual heating systems including micro-CHP

Space heating:

Fraction of space heat from secondary/supplementary system

(201)	0
-------	---

Fraction of space heat from main system(s)

(202) = 1 – (201) =

(202)	1
-------	---

Fraction of total heating from main system 1

(204) = (202) x [1 – (203)] =

(204)	1
-------	---

Efficiency of main space heating system 1

(206)	90.9
-------	------

Efficiency of secondary/supplementary heating system, %

(208)	0
-------	---

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	kWh/year
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----------

Space heating requirement (calculated above)

1848	1502.1	1341.97	887.29	522.38	0	0	0	0	835.09	1361.37	1874.13
------	--------	---------	--------	--------	---	---	---	---	--------	---------	---------

(211)m = {[(98)m x (204)] } x 100 ÷ (206)

2033.01	1652.48	1476.31	976.11	574.68	0	0	0	0	918.69	1497.65	2061.75
---------	---------	---------	--------	--------	---	---	---	---	--------	---------	---------

Total (kWh/year) = Sum(211)_{1...5,10...12} = 11190.69

Space heating fuel (secondary), kWh/month

= {[(98)m x (201)] } x 100 ÷ (208)

(215)m=	0	0	0	0	0	0	0	0	0	0	0	0	(215)
---------	---	---	---	---	---	---	---	---	---	---	---	---	-------

Total (kWh/year) = Sum(215)_{1...5,10...12} = 0

Water heating

Output from water heater (calculated above)

222.97	196.53	206.42	185.07	181.39	162.11	155.72	170.83	170.52	191.91	202.89	217.61
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Efficiency of water heater

(216)	80.8
-------	------

(217)m=	89.69	89.6	89.41	88.98	88.06	80.8	80.8	80.8	80.8	88.83	89.45	89.73	(217)
---------	-------	------	-------	-------	-------	------	------	------	------	-------	-------	-------	-------

Fuel for water heating, kWh/month

(219)m = (64)m x 100 ÷ (217)m

(219)m=	248.59	219.33	230.87	208	205.98	200.63	192.72	211.42	211.03	216.05	226.82	242.51	(219)
---------	--------	--------	--------	-----	--------	--------	--------	--------	--------	--------	--------	--------	-------

Total = Sum(219a)_{1...12} = 2613.96

Annual totals

Space heating fuel used, main system 1

(219)	11190.69
-------	----------

Water heating fuel used

(219)	2613.96
-------	---------

Electricity for pumps, fans and electric keep-hot

central heating pump:

(230c)	30
--------	----

SAP WorkSheet: New dwelling design stage



boiler with a fan-assisted flue		45	(230e)
Total electricity for the above, kWh/year	sum of (230a)...(230g) =	75	(231)
Electricity for lighting		511.05	(232)
Electricity generated by PVs		-649.44	(233)
Total delivered energy for all uses (211)...(221) + (231) + (232)...(237b) =		13822.05	(338)

10a. Fuel costs - individual heating systems:

	Fuel kWh/year	Fuel Price (Table 12)	Fuel Cost £/year
Space heating - main system 1	(211) x	7.6	x 0.01 = 850.49 (240)
Space heating - main system 2	(213) x	0	x 0.01 = 0 (241)
Space heating - secondary	(215) x	13.19	x 0.01 = 0 (242)
Water heating cost (other fuel)	(219)	7.6	x 0.01 = 198.66 (247)
Pumps, fans and electric keep-hot	(231)	13.19	x 0.01 = 9.89 (249)
(if off-peak tariff, list each of (230a) to (230g) separately as applicable and apply fuel price according to Table 12a)			
Energy for lighting	(232)	13.19	x 0.01 = 67.41 (250)
Additional standing charges (Table 12)			70 (251)
	one of (233) to (235) x	13.19	x 0.01 = -85.66 (252)
Appendix Q items: repeat lines (253) and (254) as needed			
Total energy cost	(245)...(247) + (250)...(254) =		1110.79 (255)

11a. SAP rating - individual heating systems

Energy cost deflator (Table 12)		0.42	(256)
Energy cost factor (ECF)	[(255) x (256)] ÷ [(4) + 45.0] =	2.35	(257)
SAP rating (Section 12)		67.26	(258)

12a. CO2 emissions – Individual heating systems including micro-CHP

	Energy kWh/year	Emission factor kg CO2/kWh	Emissions kg CO2/year
Space heating (main system 1)	(211) x	0.241	= 2696.96 (261)
Space heating (secondary)	(215) x	0.519	= 0 (263)
Water heating	(219) x	0.241	= 629.96 (264)
Space and water heating	(261) + (262) + (263) + (264) =		3326.92 (265)
Electricity for pumps, fans and electric keep-hot	(231) x	0.519	= 38.93 (267)
Electricity for lighting	(232) x	0.519	= 265.24 (268)
Energy saving/generation technologies Item 1		0.519	= -337.06 (269)
Total CO2, kg/year		sum of (265)...(271) =	3294.02 (272)
CO2 emissions per m²		(272) ÷ (4) =	21.42 (273)

SAP WorkSheet: New dwelling design stage



El rating (section 14)

78 (274)

13a. Primary Energy

	Energy kWh/year	Primary factor	=	P. Energy kWh/year
Space heating (main system 1)	(211) x	1.09	=	12197.85 (261)
Space heating (secondary)	(215) x	3.07	=	0 (263)
Energy for water heating	(219) x	1.09	=	2849.21 (264)
Space and water heating	(261) + (262) + (263) + (264) =			15047.07 (265)
Electricity for pumps, fans and electric keep-hot	(231) x	3.07	=	230.25 (267)
Electricity for lighting	(232) x	0	=	1568.92 (268)
Energy saving/generation technologies Item 1		3.07	=	-1993.8 (269)
'Total Primary Energy		sum of (265)...(271) =		14852.44 (272)
Primary energy kWh/m²/year		(272) ÷ (4) =		96.59 (273)



TFEE WorkSheet: New dwelling design stage

User Details:

Assessor Name:	Chris Mcdonald	Stroma Number:	STRO007579
Software Name:	Stroma FSAP 2012	Software Version:	Version: 1.0.5.33

Property Address: Phase 2 Plot 1 LPG

Address : Land West of Broome Farm Barn, Broome, Craven Arms

1. Overall dwelling dimensions:

	Area(m ²)		Av. Height(m)		Volume(m ³)
Ground floor	153.77	(1a) x	4.3	(2a) =	661.21 (3a)
Total floor area TFA = (1a)+(1b)+(1c)+(1d)+(1e)+.....(1n)	153.77	(4)			
Dwelling volume				(3a)+(3b)+(3c)+(3d)+(3e)+.....(3n) =	661.21 (5)

2. Ventilation rate:

	main heating		secondary heating		other		total		m ³ per hour
Number of chimneys	0	+	0	+	0	=	0	x 40 =	0 (6a)
Number of open flues	0	+	0	+	0	=	0	x 20 =	0 (6b)
Number of intermittent fans							4	x 10 =	40 (7a)
Number of passive vents							0	x 10 =	0 (7b)
Number of flueless gas fires							0	x 40 =	0 (7c)

Air changes per hour

Infiltration due to chimneys, flues and fans = (6a)+(6b)+(7a)+(7b)+(7c) =	40	÷ (5) =	0.06 (8)
<i>If a pressurisation test has been carried out or is intended, proceed to (17), otherwise continue from (9) to (16)</i>			
Number of storeys in the dwelling (ns)			0 (9)
Additional infiltration		[(9)-1]x0.1 =	0 (10)
Structural infiltration: 0.25 for steel or timber frame or 0.35 for masonry construction <i>if both types of wall are present, use the value corresponding to the greater wall area (after deducting areas of openings); if equal user 0.35</i>			0 (11)
If suspended wooden floor, enter 0.2 (unsealed) or 0.1 (sealed), else enter 0			0 (12)
If no draught lobby, enter 0.05, else enter 0			0 (13)
Percentage of windows and doors draught stripped			0 (14)
Window infiltration	0.25 - [0.2 x (14) ÷ 100] =		0 (15)
Infiltration rate	(8) + (10) + (11) + (12) + (13) + (15) =		0 (16)
Air permeability value, q50, expressed in cubic metres per hour per square metre of envelope area			5 (17)
If based on air permeability value, then (18) = [(17) ÷ 20]+(8), otherwise (18) = (16)			0.31 (18)
<i>Air permeability value applies if a pressurisation test has been done or a degree air permeability is being used</i>			
Number of sides sheltered			0 (19)
Shelter factor	(20) = 1 - [0.075 x (19)] =		1 (20)
Infiltration rate incorporating shelter factor	(21) = (18) x (20) =		0.31 (21)

Infiltration rate modified for monthly wind speed

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Monthly average wind speed from Table 7

(22)m=	5.1	5	4.9	4.4	4.3	3.8	3.8	3.7	4	4.3	4.5	4.7
--------	-----	---	-----	-----	-----	-----	-----	-----	---	-----	-----	-----

Wind Factor (22a)m = (22)m ÷ 4

(22a)m=	1.27	1.25	1.23	1.1	1.08	0.95	0.95	0.92	1	1.08	1.12	1.18
---------	------	------	------	-----	------	------	------	------	---	------	------	------

TFEE WorkSheet: New dwelling design stage

Adjusted infiltration rate (allowing for shelter and wind speed) = (21a) x (22a)m

0.4	0.39	0.38	0.34	0.33	0.29	0.29	0.29	0.31	0.33	0.35	0.36
-----	------	------	------	------	------	------	------	------	------	------	------

Calculate effective air change rate for the applicable case

If mechanical ventilation:

0 (23a)

If exhaust air heat pump using Appendix N, (23b) = (23a) x Fmv (equation (N5)) , otherwise (23b) = (23a)

0 (23b)

If balanced with heat recovery: efficiency in % allowing for in-use factor (from Table 4h) =

0 (23c)

a) If balanced mechanical ventilation with heat recovery (MVHR) (24a)m = (22b)m + (23b) x [1 - (23c) ÷ 100]

(24a)m=

0	0	0	0	0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---

 (24a)

b) If balanced mechanical ventilation without heat recovery (MV) (24b)m = (22b)m + (23b)

(24b)m=

0	0	0	0	0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---

 (24b)

c) If whole house extract ventilation or positive input ventilation from outside

if (22b)m < 0.5 x (23b), then (24c) = (23b); otherwise (24c) = (22b) m + 0.5 x (23b)

(24c)m=

0	0	0	0	0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---

 (24c)

d) If natural ventilation or whole house positive input ventilation from loft

if (22b)m = 1, then (24d)m = (22b)m otherwise (24d)m = 0.5 + [(22b)m² x 0.5]

(24d)m=

0.58	0.58	0.57	0.56	0.56	0.54	0.54	0.54	0.55	0.56	0.56	0.57
------	------	------	------	------	------	------	------	------	------	------	------

 (24d)

Effective air change rate - enter (24a) or (24b) or (24c) or (24d) in box (25)

(25)m=

0.58	0.58	0.57	0.56	0.56	0.54	0.54	0.54	0.55	0.56	0.56	0.57
------	------	------	------	------	------	------	------	------	------	------	------

 (25)

3. Heat losses and heat loss parameter:

ELEMENT	Gross area (m ²)	Openings m ²	Net Area A ,m ²	U-value W/m ² K	A X U (W/K)	k-value kJ/m ² -K	A X k kJ/K
Windows Type 1			4.52	$x1/[1/(1.4)+0.04] =$	5.99		(27)
Windows Type 2			14.08	$x1/[1/(1.4)+0.04] =$	18.67		(27)
Windows Type 3			2.83	$x1/[1/(1.4)+0.04] =$	3.75		(27)
Windows Type 4			14.01	$x1/[1/(1.4)+0.04] =$	18.57		(27)
Rooflights			1.29	$x1/[1/(1.7)+0.04] =$	2.193		(27b)
Floor			153.77	x 0.13 =	19.9901		(28)
Walls	197.52	35.44	162.08	x 0.18 =	29.17		(29)
Roof	218.5	1.29	217.21	x 0.13 =	28.24		(30)
Total area of elements, m ²			569.79				(31)

* for windows and roof windows, use effective window U-value calculated using formula $1/[1/(U-value)+0.04]$ as given in paragraph 3.2

** include the areas on both sides of internal walls and partitions

Fabric heat loss, W/K = S (A x U) (26)...(30) + (32) = 126.44 (33)

Heat capacity Cm = S(A x k) ((28)...(30) + (32) + (32a)...(32e) = 20328.31 (34)

Thermal mass parameter (TMP = Cm ÷ TFA) in kJ/m²K Indicative Value: Medium 250 (35)

For design assessments where the details of the construction are not known precisely the indicative values of TMP in Table 1f can be used instead of a detailed calculation.

Thermal bridges : S (L x Y) calculated using Appendix K 19.2 (36)

if details of thermal bridging are not known (36) = 0.05 x (31)

Total fabric heat loss (33) + (36) = 145.64 (37)

Ventilation heat loss calculated monthly (38)m = 0.33 x (25)m x (5)

(38)m=

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
126.2	125.53	124.88	121.83	121.25	118.59	118.59	118.1	119.62	121.25	122.41	123.62

 (38)

Heat transfer coefficient, W/K (39)m = (37) + (38)m

(39)m=

271.84	271.18	270.53	267.47	266.9	264.24	264.24	263.74	265.26	266.9	268.06	269.27
--------	--------	--------	--------	-------	--------	--------	--------	--------	-------	--------	--------

 (39)

TFEE WorkSheet: New dwelling design stage

Heat loss parameter (HLP), W/m²K

(40)m = (39)m ÷ (4)

(40)m=	1.77	1.76	1.76	1.74	1.74	1.72	1.72	1.72	1.73	1.74	1.74	1.75		
	Average = Sum(40) _{1...12} / 12 =												1.74	(40)

Number of days in month (Table 1a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(41)m=	31	28	31	30	31	30	31	31	30	31	30	31	(41)

4. Water heating energy requirement: kWh/year:

Assumed occupancy, N 2.94 (42)

if TFA > 13.9, N = 1 + 1.76 x [1 - exp(-0.000349 x (TFA - 13.9)²)] + 0.0013 x (TFA - 13.9)

if TFA ≤ 13.9, N = 1

Annual average hot water usage in litres per day V_{d,average} = (25 x N) + 36 104.02 (43)

Reduce the annual average hot water usage by 5% if the dwelling is designed to achieve a water use target of not more than 125 litres per person per day (all water use, hot and cold)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
Hot water usage in litres per day for each month V _{d,m} = factor from Table 1c x (43)														
(44)m=	114.43	110.26	106.1	101.94	97.78	93.62	93.62	97.78	101.94	106.1	110.26	114.43		
	Total = Sum(44) _{1...12} =												1248.28	(44)

Energy content of hot water used - calculated monthly = 4.190 x V_{d,m} x nm x DT_m / 3600 kWh/month (see Tables 1b, 1c, 1d)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
(45)m=	169.69	148.41	153.15	133.52	128.11	110.55	102.44	117.55	118.96	138.63	151.33	164.34		
	Total = Sum(45) _{1...12} =												1636.69	(45)

If instantaneous water heating at point of use (no hot water storage), enter 0 in boxes (46) to (61)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(46)m=	0	0	0	0	0	0	0	0	0	0	0	0	(46)

Water storage loss:

Storage volume (litres) including any solar or WWHRS storage within same vessel 150 (47)

If community heating and no tank in dwelling, enter 110 litres in (47)

Otherwise if no stored hot water (this includes instantaneous combi boilers) enter '0' in (47)

Water storage loss:

a) If manufacturer's declared loss factor is known (kWh/day): 0 (48)

Temperature factor from Table 2b 0 (49)

Energy lost from water storage, kWh/year (48) x (49) = 0 (50)

b) If manufacturer's declared cylinder loss factor is not known:

Hot water storage loss factor from Table 2 (kWh/litre/day) 0 (51)

If community heating see section 4.3

Volume factor from Table 2a 0 (52)

Temperature factor from Table 2b 0 (53)

Energy lost from water storage, kWh/year (47) x (51) x (52) x (53) = 0 (54)

Enter (50) or (54) in (55) 0 (55)

Water storage loss calculated for each month (56)m = (55) x (41)m

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(56)m=	0	0	0	0	0	0	0	0	0	0	0	0	(56)

If cylinder contains dedicated solar storage, (57)m = (56)m x [(50) - (H11)] ÷ (50), else (57)m = (56)m where (H11) is from Appendix H

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(57)m=	0	0	0	0	0	0	0	0	0	0	0	0	(57)

Primary circuit loss (annual) from Table 3 0 (58)

Primary circuit loss calculated for each month (59)m = (58) ÷ 365 x (41)m

(modified by factor from Table H5 if there is solar water heating and a cylinder thermostat)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(59)m=	0	0	0	0	0	0	0	0	0	0	0	0	(59)

TFEE WorkSheet: New dwelling design stage

Combi loss calculated for each month (61)m = (60) ÷ 365 × (41)m

(61)m=	0	0	0	0	0	0	0	0	0	0	0	0	(61)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Total heat required for water heating calculated for each month (62)m = 0.85 × (45)m + (46)m + (57)m + (59)m + (61)m

(62)m=	144.24	126.15	130.18	113.49	108.9	93.97	87.08	99.92	101.11	117.84	128.63	139.69	(62)
--------	--------	--------	--------	--------	-------	-------	-------	-------	--------	--------	--------	--------	------

Solar DHW input calculated using Appendix G or Appendix H (negative quantity) (enter '0' if no solar contribution to water heating)

(add additional lines if FGHRs and/or WWHRs applies, see Appendix G)

(63)m=	0	0	0	0	0	0	0	0	0	0	0	0	(63)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Output from water heater

(64)m=	144.24	126.15	130.18	113.49	108.9	93.97	87.08	99.92	101.11	117.84	128.63	139.69	(64)
Output from water heater (annual) _{1...12}												1391.19	

Heat gains from water heating, kWh/month $0.25 \times [0.85 \times (45)m + (61)m] + 0.8 \times [(46)m + (57)m + (59)m]$

(65)m=	36.06	31.54	32.54	28.37	27.22	23.49	21.77	24.98	25.28	29.46	32.16	34.92	(65)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

include (57)m in calculation of (65)m only if cylinder is in the dwelling or hot water is from community heating

5. Internal gains (see Table 5 and 5a):

Metabolic gains (Table 5), Watts

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(66)m=	147	147	147	147	147	147	147	147	147	147	147	147	(66)

Lighting gains (calculated in Appendix L, equation L9 or L9a), also see Table 5

(67)m=	28.94	25.7	20.9	15.82	11.83	9.99	10.79	14.03	18.83	23.9	27.9	29.74	(67)
--------	-------	------	------	-------	-------	------	-------	-------	-------	------	------	-------	------

Appliances gains (calculated in Appendix L, equation L13 or L13a), also see Table 5

(68)m=	324.59	327.96	319.47	301.4	278.59	257.16	242.83	239.47	247.95	266.02	288.83	310.27	(68)
--------	--------	--------	--------	-------	--------	--------	--------	--------	--------	--------	--------	--------	------

Cooking gains (calculated in Appendix L, equation L15 or L15a), also see Table 5

(69)m=	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	(69)
--------	------	------	------	------	------	------	------	------	------	------	------	------	------

Pumps and fans gains (Table 5a)

(70)m=	0	0	0	0	0	0	0	0	0	0	0	0	(70)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Losses e.g. evaporation (negative values) (Table 5)

(71)m=	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	(71)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Water heating gains (Table 5)

(72)m=	48.47	46.93	43.74	39.41	36.59	32.63	29.26	33.58	35.11	39.6	44.66	46.94	(72)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	-------	-------	------


Total internal gains = (66)m + (67)m + (68)m + (69)m + (70)m + (71)m + (72)m

(73)m=	469.1	467.69	451.22	423.73	394.11	366.87	349.98	354.17	368.99	396.62	428.5	454.05	(73)
--------	-------	--------	--------	--------	--------	--------	--------	--------	--------	--------	-------	--------	------

6. Solar gains:

Solar gains are calculated using solar flux from Table 6a and associated equations to convert to the applicable orientation.

Orientation:	Access Factor Table 6d	Area m ²	Flux Table 6a	g _g Table 6b	FF Table 6c	Gains (W)
Northeast 0.9x	0.77	14.01	11.28	0.63	0.7	48.31 (75)
Northeast 0.9x	0.77	14.01	22.97	0.63	0.7	98.34 (75)
Northeast 0.9x	0.77	14.01	41.38	0.63	0.7	177.17 (75)
Northeast 0.9x	0.77	14.01	67.96	0.63	0.7	290.96 (75)
Northeast 0.9x	0.77	14.01	91.35	0.63	0.7	391.11 (75)



TFEE WorkSheet: New dwelling design stage

Northeast 0.9x	0.77	x	14.01	x	97.38	x	0.63	x	0.7	=	416.97	(75)
Northeast 0.9x	0.77	x	14.01	x	91.1	x	0.63	x	0.7	=	390.06	(75)
Northeast 0.9x	0.77	x	14.01	x	72.63	x	0.63	x	0.7	=	310.96	(75)
Northeast 0.9x	0.77	x	14.01	x	50.42	x	0.63	x	0.7	=	215.88	(75)
Northeast 0.9x	0.77	x	14.01	x	28.07	x	0.63	x	0.7	=	120.17	(75)
Northeast 0.9x	0.77	x	14.01	x	14.2	x	0.63	x	0.7	=	60.79	(75)
Northeast 0.9x	0.77	x	14.01	x	9.21	x	0.63	x	0.7	=	39.45	(75)
Southeast 0.9x	0.77	x	2.83	x	36.79	x	0.63	x	0.7	=	31.82	(77)
Southeast 0.9x	0.77	x	2.83	x	62.67	x	0.63	x	0.7	=	54.21	(77)
Southeast 0.9x	0.77	x	2.83	x	85.75	x	0.63	x	0.7	=	74.17	(77)
Southeast 0.9x	0.77	x	2.83	x	106.25	x	0.63	x	0.7	=	91.9	(77)
Southeast 0.9x	0.77	x	2.83	x	119.01	x	0.63	x	0.7	=	102.93	(77)
Southeast 0.9x	0.77	x	2.83	x	118.15	x	0.63	x	0.7	=	102.19	(77)
Southeast 0.9x	0.77	x	2.83	x	113.91	x	0.63	x	0.7	=	98.52	(77)
Southeast 0.9x	0.77	x	2.83	x	104.39	x	0.63	x	0.7	=	90.29	(77)
Southeast 0.9x	0.77	x	2.83	x	92.85	x	0.63	x	0.7	=	80.31	(77)
Southeast 0.9x	0.77	x	2.83	x	69.27	x	0.63	x	0.7	=	59.91	(77)
Southeast 0.9x	0.77	x	2.83	x	44.07	x	0.63	x	0.7	=	38.12	(77)
Southeast 0.9x	0.77	x	2.83	x	31.49	x	0.63	x	0.7	=	27.23	(77)
Southwest 0.9x	0.77	x	14.08	x	36.79		0.63	x	0.7	=	158.32	(79)
Southwest 0.9x	0.77	x	14.08	x	62.67		0.63	x	0.7	=	269.69	(79)
Southwest 0.9x	0.77	x	14.08	x	85.75		0.63	x	0.7	=	369	(79)
Southwest 0.9x	0.77	x	14.08	x	106.25		0.63	x	0.7	=	457.2	(79)
Southwest 0.9x	0.77	x	14.08	x	119.01		0.63	x	0.7	=	512.11	(79)
Southwest 0.9x	0.77	x	14.08	x	118.15		0.63	x	0.7	=	508.4	(79)
Southwest 0.9x	0.77	x	14.08	x	113.91		0.63	x	0.7	=	490.15	(79)
Southwest 0.9x	0.77	x	14.08	x	104.39		0.63	x	0.7	=	449.2	(79)
Southwest 0.9x	0.77	x	14.08	x	92.85		0.63	x	0.7	=	399.54	(79)
Southwest 0.9x	0.77	x	14.08	x	69.27		0.63	x	0.7	=	298.06	(79)
Southwest 0.9x	0.77	x	14.08	x	44.07		0.63	x	0.7	=	189.64	(79)
Southwest 0.9x	0.77	x	14.08	x	31.49		0.63	x	0.7	=	135.49	(79)
Northwest 0.9x	0.77	x	4.52	x	11.28	x	0.63	x	0.7	=	15.59	(81)
Northwest 0.9x	0.77	x	4.52	x	22.97	x	0.63	x	0.7	=	31.73	(81)
Northwest 0.9x	0.77	x	4.52	x	41.38	x	0.63	x	0.7	=	57.16	(81)
Northwest 0.9x	0.77	x	4.52	x	67.96	x	0.63	x	0.7	=	93.87	(81)
Northwest 0.9x	0.77	x	4.52	x	91.35	x	0.63	x	0.7	=	126.18	(81)
Northwest 0.9x	0.77	x	4.52	x	97.38	x	0.63	x	0.7	=	134.52	(81)
Northwest 0.9x	0.77	x	4.52	x	91.1	x	0.63	x	0.7	=	125.84	(81)
Northwest 0.9x	0.77	x	4.52	x	72.63	x	0.63	x	0.7	=	100.32	(81)
Northwest 0.9x	0.77	x	4.52	x	50.42	x	0.63	x	0.7	=	69.65	(81)
Northwest 0.9x	0.77	x	4.52	x	28.07	x	0.63	x	0.7	=	38.77	(81)

TFEE WorkSheet: New dwelling design stage

Northwest 0.9x	0.77	x	4.52	x	14.2	x	0.63	x	0.7	=	19.61	(81)
Northwest 0.9x	0.77	x	4.52	x	9.21	x	0.63	x	0.7	=	12.73	(81)
Rooflights 0.9x	1	x	1.29	x	39.98	x	0.63	x	0.7	=	20.47	(82)
Rooflights 0.9x	1	x	1.29	x	73.48	x	0.63	x	0.7	=	37.62	(82)
Rooflights 0.9x	1	x	1.29	x	112.11	x	0.63	x	0.7	=	57.4	(82)
Rooflights 0.9x	1	x	1.29	x	153.81	x	0.63	x	0.7	=	78.75	(82)
Rooflights 0.9x	1	x	1.29	x	182.63	x	0.63	x	0.7	=	93.51	(82)
Rooflights 0.9x	1	x	1.29	x	184.99	x	0.63	x	0.7	=	94.72	(82)
Rooflights 0.9x	1	x	1.29	x	176.88	x	0.63	x	0.7	=	90.57	(82)
Rooflights 0.9x	1	x	1.29	x	155.4	x	0.63	x	0.7	=	79.56	(82)
Rooflights 0.9x	1	x	1.29	x	126.86	x	0.63	x	0.7	=	64.95	(82)
Rooflights 0.9x	1	x	1.29	x	84.6	x	0.63	x	0.7	=	43.31	(82)
Rooflights 0.9x	1	x	1.29	x	48.93	x	0.63	x	0.7	=	25.05	(82)
Rooflights 0.9x	1	x	1.29	x	33.5	x	0.63	x	0.7	=	17.15	(82)

Solar gains in watts, calculated for each month

(83)m = Sum(74)m ... (82)m

(83)m=	274.51	491.58	734.89	1012.69	1225.84	1256.8	1195.15	1030.33	830.33	560.23	333.2	232.06	(83)
--------	--------	--------	--------	---------	---------	--------	---------	---------	--------	--------	-------	--------	------

Total gains – internal and solar (84)m = (73)m + (83)m , watts

(84)m=	743.61	959.27	1186.11	1436.42	1619.95	1623.67	1545.13	1384.5	1199.32	956.85	761.7	686.11	(84)
--------	--------	--------	---------	---------	---------	---------	---------	--------	---------	--------	-------	--------	------

7. Mean internal temperature (heating season)

Temperature during heating periods in the living area from Table 9, Th1 (°C)

21 (85)

Utilisation factor for gains for living area, h1,m (see Table 9a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(86)m=	1	1	0.99	0.97	0.92	0.8	0.66	0.73	0.92	0.99	1	1	(86)

Mean internal temperature in living area T1 (follow steps 3 to 7 in Table 9c)

(87)m=	18.92	19.13	19.49	19.98	20.45	20.79	20.92	20.89	20.6	19.99	19.37	18.89	(87)
--------	-------	-------	-------	-------	-------	-------	-------	-------	------	-------	-------	-------	------

Temperature during heating periods in rest of dwelling from Table 9, Th2 (°C)

(88)m=	19.49	19.5	19.5	19.51	19.52	19.53	19.53	19.53	19.52	19.52	19.51	19.5	(88)
--------	-------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	------	------

Utilisation factor for gains for rest of dwelling, h2,m (see Table 9a)

(89)m=	1	1	0.99	0.96	0.87	0.69	0.48	0.56	0.85	0.98	1	1	(89)
--------	---	---	------	------	------	------	------	------	------	------	---	---	------

Mean internal temperature in the rest of dwelling T2 (follow steps 3 to 7 in Table 9c)

(90)m=	17.63	17.85	18.21	18.71	19.14	19.43	19.51	19.5	19.29	18.72	18.09	17.61	(90)
--------	-------	-------	-------	-------	-------	-------	-------	------	-------	-------	-------	-------	------

fLA = Living area ÷ (4) =

0.27 (91)

Mean internal temperature (for the whole dwelling) = fLA × T1 + (1 – fLA) × T2

(92)m=	17.98	18.19	18.55	19.05	19.49	19.79	19.89	19.87	19.64	19.06	18.44	17.96	(92)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Apply adjustment to the mean internal temperature from Table 4e, where appropriate

(93)m=	17.98	18.19	18.55	19.05	19.49	19.79	19.89	19.87	19.64	19.06	18.44	17.96	(93)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

8. Space heating requirement

Set Ti to the mean internal temperature obtained at step 11 of Table 9b, so that Ti,m=(76)m and re-calculate the utilisation factor for gains using Table 9a

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(94)m=	1	0.99	0.98	0.95	0.87	0.72	0.53	0.6	0.86	0.97	1	1	(94)

TFEE WorkSheet: New dwelling design stage

Useful gains, hmGm , W = (94)m x (84)m

(95)m=	741.85	953.45	1166.75	1367.08	1411.99	1163.29	820.66	837.51	1029.54	932.75	758.06	684.91	(95)
--------	--------	--------	---------	---------	---------	---------	--------	--------	---------	--------	--------	--------	------

Monthly average external temperature from Table 8

(96)m=	4.3	4.9	6.5	8.9	11.7	14.6	16.6	16.4	14.1	10.6	7.1	4.2	(96)
--------	-----	-----	-----	-----	------	------	------	------	------	------	-----	-----	------

Heat loss rate for mean internal temperature, Lm , W = [(39)m x ((93)m - (96)m)]

(97)m=	3718.06	3603.91	3260.66	2714.55	2080.34	1372.39	869.36	916.04	1470.13	2257.96	3038.65	3703.81	(97)
--------	---------	---------	---------	---------	---------	---------	--------	--------	---------	---------	---------	---------	------

Space heating requirement for each month, kWh/month = 0.024 x [(97)m - (95)m] x (41)m

(98)m=	2214.3	1781.11	1557.87	970.18	497.25	0	0	0	0	985.95	1642.02	2246.06	
--------	--------	---------	---------	--------	--------	---	---	---	---	--------	---------	---------	--

Total per year (kWh/year) = Sum(98)_{1...5,9...12} = 11894.74 (98)

Space heating requirement in kWh/m²/year

77.35 (99)

8c. Space cooling requirement

Calculated for June, July and August. See Table 10b

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Heat loss rate Lm (calculated using 25°C internal temperature and external temperature from Table 10)

(100)m=	0	0	0	0	0	2483.82	1955.35	2004.45	0	0	0	0	(100)
---------	---	---	---	---	---	---------	---------	---------	---	---	---	---	-------

Utilisation factor for loss hm

(101)m=	0	0	0	0	0	0.7	0.78	0.73	0	0	0	0	(101)
---------	---	---	---	---	---	-----	------	------	---	---	---	---	-------

Useful loss, hmLm (Watts) = (100)m x (101)m

(102)m=	0	0	0	0	0	1730.75	1522.48	1455.54	0	0	0	0	(102)
---------	---	---	---	---	---	---------	---------	---------	---	---	---	---	-------

Gains (solar gains calculated for applicable weather region, see Table 10)

(103)m=	0	0	0	0	0	2008.78	1914.69	1731.28	0	0	0	0	(103)
---------	---	---	---	---	---	---------	---------	---------	---	---	---	---	-------

Space cooling requirement for month, whole dwelling, continuous (kWh) = 0.024 x [(103)m - (102)m] x (41)m

set (104)m to zero if (104)m < 3 x (98)m

(104)m=	0	0	0	0	0	200.18	291.8	205.15	0	0	0	0	
---------	---	---	---	---	---	--------	-------	--------	---	---	---	---	--

Total = Sum(104) = 697.13 (104)

Cooled fraction

f C = cooled area ÷ (4) = 1 (105)

Intermittency factor (Table 10b)

(106)m=	0	0	0	0	0	0.25	0.25	0.25	0	0	0	0	
---------	---	---	---	---	---	------	------	------	---	---	---	---	--

Total = Sum(106) = 0 (106)

Space cooling requirement for month = (104)m x (105) x (106)m

(107)m=	0	0	0	0	0	50.04	72.95	51.29	0	0	0	0	
---------	---	---	---	---	---	-------	-------	-------	---	---	---	---	--

Total = Sum(107) = 174.28 (107)

Space cooling requirement in kWh/m²/year

(107) ÷ (4) = 1.13 (108)

8f. Fabric Energy Efficiency (calculated only under special conditions, see section 11)

Fabric Energy Efficiency (99) + (108) = 78.49 (109)

Target Fabric Energy Efficiency (TFEE) 90.26 (109)

DFEE WorkSheet: New dwelling design stage



User Details:

Assessor Name: Chris Mcdonald **Stroma Number:** STRO007579
Software Name: Stroma FSAP 2012 **Software Version:** Version: 1.0.5.33

Property Address: Phase 2 Plot 1 LPG

Address : Land West of Broome Farm Barn, Broome, Craven Arms

1. Overall dwelling dimensions:

	Area(m ²)		Av. Height(m)		Volume(m ³)
Ground floor	153.77	(1a) x	4.3	(2a) =	661.21
Total floor area TFA = (1a)+(1b)+(1c)+(1d)+(1e)+.....(1n)	153.77	(4)			
Dwelling volume	(3a)+(3b)+(3c)+(3d)+(3e)+.....(3n) =				661.21

2. Ventilation rate:

	main heating		secondary heating		other		total		m ³ per hour
Number of chimneys	0	+	0	+	0	=	0	x 40 =	0
Number of open flues	0	+	0	+	0	=	0	x 20 =	0
Number of intermittent fans							4	x 10 =	40
Number of passive vents							0	x 10 =	0
Number of flueless gas fires							0	x 40 =	0

Air changes per hour

Infiltration due to chimneys, flues and fans = (6a)+(6b)+(7a)+(7b)+(7c) =	40	÷ (5) =	0.06	(8)
<i>If a pressurisation test has been carried out or is intended, proceed to (17), otherwise continue from (9) to (16)</i>				
Number of storeys in the dwelling (ns)			0	(9)
Additional infiltration			0	(10)
Structural infiltration: 0.25 for steel or timber frame or 0.35 for masonry construction			0	(11)
<i>if both types of wall are present, use the value corresponding to the greater wall area (after deducting areas of openings); if equal user 0.35</i>				
If suspended wooden floor, enter 0.2 (unsealed) or 0.1 (sealed), else enter 0			0	(12)
If no draught lobby, enter 0.05, else enter 0			0	(13)
Percentage of windows and doors draught stripped			0	(14)
Window infiltration	0.25 - [0.2 x (14) ÷ 100] =		0	(15)
Infiltration rate	(8) + (10) + (11) + (12) + (13) + (15) =		0	(16)
Air permeability value, q50, expressed in cubic metres per hour per square metre of envelope area			5	(17)
If based on air permeability value, then (18) = [(17) ÷ 20] + (8), otherwise (18) = (16)			0.31	(18)
<i>Air permeability value applies if a pressurisation test has been done or a degree air permeability is being used</i>				
Number of sides sheltered			0	(19)
Shelter factor	(20) = 1 - [0.075 x (19)] =		1	(20)
Infiltration rate incorporating shelter factor	(21) = (18) x (20) =		0.31	(21)

Infiltration rate modified for monthly wind speed

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Monthly average wind speed from Table 7

(22)m=

5.1	5	4.9	4.4	4.3	3.8	3.8	3.7	4	4.3	4.5	4.7
-----	---	-----	-----	-----	-----	-----	-----	---	-----	-----	-----

Wind Factor (22a)m = (22)m ÷ 4

(22a)m=

1.27	1.25	1.23	1.1	1.08	0.95	0.95	0.92	1	1.08	1.12	1.18
------	------	------	-----	------	------	------	------	---	------	------	------

DFEE WorkSheet: New dwelling design stage



Adjusted infiltration rate (allowing for shelter and wind speed) = (21a) x (22a)m

0.4	0.39	0.38	0.34	0.33	0.29	0.29	0.29	0.31	0.33	0.35	0.36
-----	------	------	------	------	------	------	------	------	------	------	------

Calculate effective air change rate for the applicable case

If mechanical ventilation:

0 (23a)

If exhaust air heat pump using Appendix N, (23b) = (23a) x Fmv (equation (N5)) , otherwise (23b) = (23a)

0 (23b)

If balanced with heat recovery: efficiency in % allowing for in-use factor (from Table 4h) =

0 (23c)

a) If balanced mechanical ventilation with heat recovery (MVHR) (24a)m = (22b)m + (23b) x [1 - (23c) ÷ 100]

(24a)m=

0	0	0	0	0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---

 (24a)

b) If balanced mechanical ventilation without heat recovery (MV) (24b)m = (22b)m + (23b)

(24b)m=

0	0	0	0	0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---

 (24b)

c) If whole house extract ventilation or positive input ventilation from outside

if (22b)m < 0.5 x (23b), then (24c) = (23b); otherwise (24c) = (22b) m + 0.5 x (23b)

(24c)m=

0	0	0	0	0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---	---	---	---	---

 (24c)

d) If natural ventilation or whole house positive input ventilation from loft

if (22b)m = 1, then (24d)m = (22b)m otherwise (24d)m = 0.5 + [(22b)m² x 0.5]

(24d)m=

0.58	0.58	0.57	0.56	0.56	0.54	0.54	0.54	0.55	0.56	0.56	0.57
------	------	------	------	------	------	------	------	------	------	------	------

 (24d)

Effective air change rate - enter (24a) or (24b) or (24c) or (24d) in box (25)

(25)m=

0.58	0.58	0.57	0.56	0.56	0.54	0.54	0.54	0.55	0.56	0.56	0.57
------	------	------	------	------	------	------	------	------	------	------	------

 (25)

3. Heat losses and heat loss parameter:

ELEMENT	Gross area (m ²)	Openings m ²	Net Area A ,m ²	U-value W/m ² K	A X U (W/K)	k-value kJ/m ² -K	A X k kJ/K
Windows Type 1			4.52	$x1/[1/(1.4)+0.04] =$	5.99		(27)
Windows Type 2			14.08	$x1/[1/(1.4)+0.04] =$	18.67		(27)
Windows Type 3			2.83	$x1/[1/(1.4)+0.04] =$	3.75		(27)
Windows Type 4			14.01	$x1/[1/(1.4)+0.04] =$	18.57		(27)
Rooflights			1.29	$x1/[1/(1.4)+0.04] =$	1.806		(27b)
Floor			153.77	x 0.14 =	21.5278		(28)
Walls	197.52	35.44	162.08	x 0.16 =	25.93		(29)
Roof	218.5	1.29	217.21	x 0.16 =	34.75		(30)
Total area of elements, m ²			569.79				(31)

* for windows and roof windows, use effective window U-value calculated using formula $1/[1/U\text{-value}+0.04]$ as given in paragraph 3.2

** include the areas on both sides of internal walls and partitions

Fabric heat loss, W/K = S (A x U) (26)...(30) + (32) = 130.91 (33)

Heat capacity Cm = S(A x k) ((28)...(30) + (32) + (32a)...(32e) = 20328.31 (34)

Thermal mass parameter (TMP = Cm ÷ TFA) in kJ/m²K Indicative Value: Low 100 (35)

For design assessments where the details of the construction are not known precisely the indicative values of TMP in Table 1f can be used instead of a detailed calculation.

Thermal bridges : S (L x Y) calculated using Appendix K 28.22 (36)

if details of thermal bridging are not known (36) = 0.05 x (31)

Total fabric heat loss (33) + (36) = 159.13 (37)

Ventilation heat loss calculated monthly (38)m = 0.33 x (25)m x (5)

(38)m=

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
126.2	125.53	124.88	121.83	121.25	118.59	118.59	118.1	119.62	121.25	122.41	123.62

 (38)

Heat transfer coefficient, W/K (39)m = (37) + (38)m

(39)m=

285.33	284.66	284.01	280.96	280.38	277.72	277.72	277.23	278.75	280.38	281.54	282.75
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Stroma FSAP 2012 Version: 1.0.5.33 (SAP 9.92) - <http://www.stroma.com> Average = Sum(39)_{1...12} /12= 280.95 (39) Page 2 of 7



DFEE WorkSheet: New dwelling design stage

Heat loss parameter (HLP), W/m²K

(40)m = (39)m ÷ (4)

(40)m=	1.86	1.85	1.85	1.83	1.82	1.81	1.81	1.8	1.81	1.82	1.83	1.84		
	Average = Sum(40) _{1...12} / 12 =												1.83	(40)

Number of days in month (Table 1a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(41)m=	31	28	31	30	31	30	31	31	30	31	30	31	(41)

4. Water heating energy requirement:

kWh/year:

Assumed occupancy, N

2.94

(42)

if TFA > 13.9, N = 1 + 1.76 x [1 - exp(-0.000349 x (TFA - 13.9)²)] + 0.0013 x (TFA - 13.9)

if TFA ≤ 13.9, N = 1

Annual average hot water usage in litres per day Vd,average = (25 x N) + 36

104.02

(43)

Reduce the annual average hot water usage by 5% if the dwelling is designed to achieve a water use target of not more than 125 litres per person per day (all water use, hot and cold)

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Hot water usage in litres per day for each month Vd,m = factor from Table 1c x (43)

(44)m=	114.43	110.26	106.1	101.94	97.78	93.62	93.62	97.78	101.94	106.1	110.26	114.43		
	Total = Sum(44) _{1...12} =												1248.28	(44)

Energy content of hot water used - calculated monthly = 4.190 x Vd,m x nm x DTm / 3600 kWh/month (see Tables 1b, 1c, 1d)

(45)m=	169.69	148.41	153.15	133.52	128.11	110.55	102.44	117.55	118.96	138.63	151.33	164.34		
	Total = Sum(45) _{1...12} =												1636.69	(45)

If instantaneous water heating at point of use (no hot water storage), enter 0 in boxes (46) to (61)

(46)m=	0	0	0	0	0	0	0	0	0	0	0	0	(46)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Water storage loss:

Storage volume (litres) including any solar or WWHRS storage within same vessel

210

(47)

If community heating and no tank in dwelling, enter 110 litres in (47)

Otherwise if no stored hot water (this includes instantaneous combi boilers) enter '0' in (47)

Water storage loss:

a) If manufacturer's declared loss factor is known (kWh/day):

0

(48)

Temperature factor from Table 2b

0

(49)

Energy lost from water storage, kWh/year

(48) x (49) =

0

(50)

b) If manufacturer's declared cylinder loss factor is not known:

Hot water storage loss factor from Table 2 (kWh/litre/day)

0

(51)

If community heating see section 4.3

Volume factor from Table 2a

0

(52)

Temperature factor from Table 2b

0

(53)

Energy lost from water storage, kWh/year

(47) x (51) x (52) x (53) =

0

(54)

Enter (50) or (54) in (55)

0

(55)

Water storage loss calculated for each month

((56)m = (55) x (41)m

(56)m=	0	0	0	0	0	0	0	0	0	0	0	0	(56)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

If cylinder contains dedicated solar storage, (57)m = (56)m x [(50) - (H11)] ÷ (50), else (57)m = (56)m where (H11) is from Appendix H

(57)m=	0	0	0	0	0	0	0	0	0	0	0	0	(57)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Primary circuit loss (annual) from Table 3

0

(58)

Primary circuit loss calculated for each month (59)m = (58) ÷ 365 x (41)m

(modified by factor from Table H5 if there is solar water heating and a cylinder thermostat)

(59)m=	0	0	0	0	0	0	0	0	0	0	0	0	(59)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

DFEE WorkSheet: New dwelling design stage

Combi loss calculated for each month (61)m = (60) ÷ 365 × (41)m

(61)m=	0	0	0	0	0	0	0	0	0	0	0	0	(61)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Total heat required for water heating calculated for each month (62)m = 0.85 × (45)m + (46)m + (57)m + (59)m + (61)m

(62)m=	144.24	126.15	130.18	113.49	108.9	93.97	87.08	99.92	101.11	117.84	128.63	139.69	(62)
--------	--------	--------	--------	--------	-------	-------	-------	-------	--------	--------	--------	--------	------

Solar DHW input calculated using Appendix G or Appendix H (negative quantity) (enter '0' if no solar contribution to water heating)

(add additional lines if FGHRs and/or WWHRs applies, see Appendix G)

(63)m=	0	0	0	0	0	0	0	0	0	0	0	0	(63)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Output from water heater

(64)m=	144.24	126.15	130.18	113.49	108.9	93.97	87.08	99.92	101.11	117.84	128.63	139.69	(64)
Output from water heater (annual) _{1...12}												1391.19	

Heat gains from water heating, kWh/month $0.25 \times [0.85 \times (45)m + (61)m] + 0.8 \times [(46)m + (57)m + (59)m]$

(65)m=	36.06	31.54	32.54	28.37	27.22	23.49	21.77	24.98	25.28	29.46	32.16	34.92	(65)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

include (57)m in calculation of (65)m only if cylinder is in the dwelling or hot water is from community heating

5. Internal gains (see Table 5 and 5a):

Metabolic gains (Table 5), Watts

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(66)m=	147	147	147	147	147	147	147	147	147	147	147	147	(66)

Lighting gains (calculated in Appendix L, equation L9 or L9a), also see Table 5

(67)m=	28.94	25.7	20.9	15.82	11.83	9.99	10.79	14.03	18.83	23.9	27.9	29.74	(67)
--------	-------	------	------	-------	-------	------	-------	-------	-------	------	------	-------	------

Appliances gains (calculated in Appendix L, equation L13 or L13a), also see Table 5

(68)m=	324.59	327.96	319.47	301.4	278.59	257.16	242.83	239.47	247.95	266.02	288.83	310.27	(68)
--------	--------	--------	--------	-------	--------	--------	--------	--------	--------	--------	--------	--------	------

Cooking gains (calculated in Appendix L, equation L15 or L15a), also see Table 5

(69)m=	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	(69)
--------	------	------	------	------	------	------	------	------	------	------	------	------	------

Pumps and fans gains (Table 5a)

(70)m=	0	0	0	0	0	0	0	0	0	0	0	0	(70)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Losses e.g. evaporation (negative values) (Table 5)

(71)m=	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	(71)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Water heating gains (Table 5)

(72)m=	48.47	46.93	43.74	39.41	36.59	32.63	29.26	33.58	35.11	39.6	44.66	46.94	(72)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	-------	-------	------

Total internal gains = (66)m + (67)m + (68)m + (69)m + (70)m + (71)m + (72)m

(73)m=	469.1	467.69	451.22	423.73	394.11	366.87	349.98	354.17	368.99	396.62	428.5	454.05	(73)
--------	-------	--------	--------	--------	--------	--------	--------	--------	--------	--------	-------	--------	------

6. Solar gains:

Solar gains are calculated using solar flux from Table 6a and associated equations to convert to the applicable orientation.

Orientation:	Access Factor Table 6d	Area m ²	Flux Table 6a	g _g Table 6b	FF Table 6c	Gains (W)
Northeast 0.9x	0.77	14.01	11.28	0.63	0.7	48.31 (75)
Northeast 0.9x	0.77	14.01	22.97	0.63	0.7	98.34 (75)
Northeast 0.9x	0.77	14.01	41.38	0.63	0.7	177.17 (75)
Northeast 0.9x	0.77	14.01	67.96	0.63	0.7	290.96 (75)
Northeast 0.9x	0.77	14.01	91.35	0.63	0.7	391.11 (75)



DFEE WorkSheet: New dwelling design stage

Northeast 0.9x	0.77	x	14.01	x	97.38	x	0.63	x	0.7	=	416.97	(75)
Northeast 0.9x	0.77	x	14.01	x	91.1	x	0.63	x	0.7	=	390.06	(75)
Northeast 0.9x	0.77	x	14.01	x	72.63	x	0.63	x	0.7	=	310.96	(75)
Northeast 0.9x	0.77	x	14.01	x	50.42	x	0.63	x	0.7	=	215.88	(75)
Northeast 0.9x	0.77	x	14.01	x	28.07	x	0.63	x	0.7	=	120.17	(75)
Northeast 0.9x	0.77	x	14.01	x	14.2	x	0.63	x	0.7	=	60.79	(75)
Northeast 0.9x	0.77	x	14.01	x	9.21	x	0.63	x	0.7	=	39.45	(75)
Southeast 0.9x	0.77	x	2.83	x	36.79	x	0.63	x	0.7	=	31.82	(77)
Southeast 0.9x	0.77	x	2.83	x	62.67	x	0.63	x	0.7	=	54.21	(77)
Southeast 0.9x	0.77	x	2.83	x	85.75	x	0.63	x	0.7	=	74.17	(77)
Southeast 0.9x	0.77	x	2.83	x	106.25	x	0.63	x	0.7	=	91.9	(77)
Southeast 0.9x	0.77	x	2.83	x	119.01	x	0.63	x	0.7	=	102.93	(77)
Southeast 0.9x	0.77	x	2.83	x	118.15	x	0.63	x	0.7	=	102.19	(77)
Southeast 0.9x	0.77	x	2.83	x	113.91	x	0.63	x	0.7	=	98.52	(77)
Southeast 0.9x	0.77	x	2.83	x	104.39	x	0.63	x	0.7	=	90.29	(77)
Southeast 0.9x	0.77	x	2.83	x	92.85	x	0.63	x	0.7	=	80.31	(77)
Southeast 0.9x	0.77	x	2.83	x	69.27	x	0.63	x	0.7	=	59.91	(77)
Southeast 0.9x	0.77	x	2.83	x	44.07	x	0.63	x	0.7	=	38.12	(77)
Southeast 0.9x	0.77	x	2.83	x	31.49	x	0.63	x	0.7	=	27.23	(77)
Southwest 0.9x	0.77	x	14.08	x	36.79		0.63	x	0.7	=	158.32	(79)
Southwest 0.9x	0.77	x	14.08	x	62.67		0.63	x	0.7	=	269.69	(79)
Southwest 0.9x	0.77	x	14.08	x	85.75		0.63	x	0.7	=	369	(79)
Southwest 0.9x	0.77	x	14.08	x	106.25		0.63	x	0.7	=	457.2	(79)
Southwest 0.9x	0.77	x	14.08	x	119.01		0.63	x	0.7	=	512.11	(79)
Southwest 0.9x	0.77	x	14.08	x	118.15		0.63	x	0.7	=	508.4	(79)
Southwest 0.9x	0.77	x	14.08	x	113.91		0.63	x	0.7	=	490.15	(79)
Southwest 0.9x	0.77	x	14.08	x	104.39		0.63	x	0.7	=	449.2	(79)
Southwest 0.9x	0.77	x	14.08	x	92.85		0.63	x	0.7	=	399.54	(79)
Southwest 0.9x	0.77	x	14.08	x	69.27		0.63	x	0.7	=	298.06	(79)
Southwest 0.9x	0.77	x	14.08	x	44.07		0.63	x	0.7	=	189.64	(79)
Southwest 0.9x	0.77	x	14.08	x	31.49		0.63	x	0.7	=	135.49	(79)
Northwest 0.9x	0.77	x	4.52	x	11.28	x	0.63	x	0.7	=	15.59	(81)
Northwest 0.9x	0.77	x	4.52	x	22.97	x	0.63	x	0.7	=	31.73	(81)
Northwest 0.9x	0.77	x	4.52	x	41.38	x	0.63	x	0.7	=	57.16	(81)
Northwest 0.9x	0.77	x	4.52	x	67.96	x	0.63	x	0.7	=	93.87	(81)
Northwest 0.9x	0.77	x	4.52	x	91.35	x	0.63	x	0.7	=	126.18	(81)
Northwest 0.9x	0.77	x	4.52	x	97.38	x	0.63	x	0.7	=	134.52	(81)
Northwest 0.9x	0.77	x	4.52	x	91.1	x	0.63	x	0.7	=	125.84	(81)
Northwest 0.9x	0.77	x	4.52	x	72.63	x	0.63	x	0.7	=	100.32	(81)
Northwest 0.9x	0.77	x	4.52	x	50.42	x	0.63	x	0.7	=	69.65	(81)
Northwest 0.9x	0.77	x	4.52	x	28.07	x	0.63	x	0.7	=	38.77	(81)

DFEE WorkSheet: New dwelling design stage

Northwest 0.9x	0.77	x	4.52	x	14.2	x	0.63	x	0.7	=	19.61	(81)
Northwest 0.9x	0.77	x	4.52	x	9.21	x	0.63	x	0.7	=	12.73	(81)
Rooflights 0.9x	1	x	1.29	x	39.98	x	0.63	x	0.7	=	20.47	(82)
Rooflights 0.9x	1	x	1.29	x	73.48	x	0.63	x	0.7	=	37.62	(82)
Rooflights 0.9x	1	x	1.29	x	112.11	x	0.63	x	0.7	=	57.4	(82)
Rooflights 0.9x	1	x	1.29	x	153.81	x	0.63	x	0.7	=	78.75	(82)
Rooflights 0.9x	1	x	1.29	x	182.63	x	0.63	x	0.7	=	93.51	(82)
Rooflights 0.9x	1	x	1.29	x	184.99	x	0.63	x	0.7	=	94.72	(82)
Rooflights 0.9x	1	x	1.29	x	176.88	x	0.63	x	0.7	=	90.57	(82)
Rooflights 0.9x	1	x	1.29	x	155.4	x	0.63	x	0.7	=	79.56	(82)
Rooflights 0.9x	1	x	1.29	x	126.86	x	0.63	x	0.7	=	64.95	(82)
Rooflights 0.9x	1	x	1.29	x	84.6	x	0.63	x	0.7	=	43.31	(82)
Rooflights 0.9x	1	x	1.29	x	48.93	x	0.63	x	0.7	=	25.05	(82)
Rooflights 0.9x	1	x	1.29	x	33.5	x	0.63	x	0.7	=	17.15	(82)

Solar gains in watts, calculated for each month

(83)m = Sum(74)m ... (82)m

(83)m=	274.51	491.58	734.89	1012.69	1225.84	1256.8	1195.15	1030.33	830.33	560.23	333.2	232.06	(83)
--------	--------	--------	--------	---------	---------	--------	---------	---------	--------	--------	-------	--------	------

Total gains – internal and solar (84)m = (73)m + (83)m , watts

(84)m=	743.61	959.27	1186.11	1436.42	1619.95	1623.67	1545.13	1384.5	1199.32	956.85	761.7	686.11	(84)
--------	--------	--------	---------	---------	---------	---------	---------	--------	---------	--------	-------	--------	------

7. Mean internal temperature (heating season)

Temperature during heating periods in the living area from Table 9, Th1 (°C)

21 (85)

Utilisation factor for gains for living area, h1,m (see Table 9a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(86)m=	0.98	0.97	0.94	0.89	0.81	0.7	0.59	0.64	0.81	0.93	0.97	0.98	(86)

Mean internal temperature in living area T1 (follow steps 3 to 7 in Table 9c)

(87)m=	17.23	17.58	18.19	19	19.78	20.39	20.7	20.63	20.1	19.09	18.02	17.18	(87)
--------	-------	-------	-------	----	-------	-------	------	-------	------	-------	-------	-------	------

Temperature during heating periods in rest of dwelling from Table 9, Th2 (°C)

(88)m=	19.43	19.43	19.44	19.45	19.45	19.47	19.47	19.47	19.46	19.45	19.45	19.44	(88)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Utilisation factor for gains for rest of dwelling, h2,m (see Table 9a)

(89)m=	0.98	0.96	0.93	0.86	0.76	0.61	0.44	0.5	0.74	0.9	0.96	0.98	(89)
--------	------	------	------	------	------	------	------	-----	------	-----	------	------	------

Mean internal temperature in the rest of dwelling T2 (follow steps 3 to 7 in Table 9c)

(90)m=	16.08	16.43	17.03	17.83	18.57	19.12	19.36	19.32	18.89	17.93	16.87	16.03	(90)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

fLA = Living area ÷ (4) =

0.27 (91)

Mean internal temperature (for the whole dwelling) = fLA × T1 + (1 – fLA) × T2

(92)m=	16.39	16.74	17.34	18.15	18.89	19.46	19.72	19.67	19.21	18.24	17.18	16.34	(92)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Apply adjustment to the mean internal temperature from Table 4e, where appropriate

(93)m=	16.39	16.74	17.34	18.15	18.89	19.46	19.72	19.67	19.21	18.24	17.18	16.34	(93)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

8. Space heating requirement

Set Ti to the mean internal temperature obtained at step 11 of Table 9b, so that Ti,m=(76)m and re-calculate the utilisation factor for gains using Table 9a

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(94)m=	0.96	0.94	0.9	0.84	0.74	0.61	0.47	0.52	0.72	0.88	0.95	0.97	(94)

DFEE WorkSheet: New dwelling design stage



Useful gains, hmGm , W = (94)m x (84)m

(95)m=	716.14	902.38	1071.64	1202.41	1196.04	984.06	723.36	723.13	869.26	842.51	721.37	664.25	(95)
--------	--------	--------	---------	---------	---------	--------	--------	--------	--------	--------	--------	--------	------

Monthly average external temperature from Table 8

(96)m=	4.3	4.9	6.5	8.9	11.7	14.6	16.6	16.4	14.1	10.6	7.1	4.2	(96)
--------	-----	-----	-----	-----	------	------	------	------	------	------	-----	-----	------

Heat loss rate for mean internal temperature, Lm , W = [(39)m x ((93)m – (96)m)

(97)m=	3449.52	3369.93	3079.02	2597.8	2016.59	1349.92	865.87	906.88	1425.17	2142.68	2837.51	3432.54	(97)
--------	---------	---------	---------	--------	---------	---------	--------	--------	---------	---------	---------	---------	------

Space heating requirement for each month, kWh/month = 0.024 x [(97)m – (95)m] x (41)m

(98)m=	2033.64	1658.19	1493.49	1004.68	610.49	0	0	0	0	967.33	1523.62	2059.61	
--------	---------	---------	---------	---------	--------	---	---	---	---	--------	---------	---------	--

Total per year (kWh/year) = Sum(98)_{1...59...12} = 11351.04 (98)

Space heating requirement in kWh/m²/year

73.82 (99)

8c. Space cooling requirement

Calculated for June, July and August. See Table 10b

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Heat loss rate Lm (calculated using 25°C internal temperature and external temperature from Table 10)

(100)m=	0	0	0	0	0	2610.58	2055.14	2106.93	0	0	0	0	(100)
---------	---	---	---	---	---	---------	---------	---------	---	---	---	---	-------

Utilisation factor for loss hm

(101)m=	0	0	0	0	0	0.58	0.65	0.6	0	0	0	0	(101)
---------	---	---	---	---	---	------	------	-----	---	---	---	---	-------

Useful loss, hmLm (Watts) = (100)m x (101)m

(102)m=	0	0	0	0	0	1511.23	1326.59	1268.68	0	0	0	0	(102)
---------	---	---	---	---	---	---------	---------	---------	---	---	---	---	-------

Gains (solar gains calculated for applicable weather region, see Table 10)

(103)m=	0	0	0	0	0	2008.78	1914.69	1731.28	0	0	0	0	(103)
---------	---	---	---	---	---	---------	---------	---------	---	---	---	---	-------

Space cooling requirement for month, whole dwelling, continuous (kWh) = 0.024 x [(103)m – (102)m] x (41)m

set (104)m to zero if (104)m < 3 x (98)m

(104)m=	0	0	0	0	0	358.24	437.55	344.18	0	0	0	0	
---------	---	---	---	---	---	--------	--------	--------	---	---	---	---	--

Total = Sum(104) = 1139.96 (104)

Cooled fraction

f C = cooled area ÷ (4) = 1 (105)

Intermittency factor (Table 10b)

(106)m=	0	0	0	0	0	0.25	0.25	0.25	0	0	0	0	
---------	---	---	---	---	---	------	------	------	---	---	---	---	--

Total = Sum(106) = 0 (106)

Space cooling requirement for month = (104)m x (105) x (106)m

(107)m=	0	0	0	0	0	89.56	109.39	86.04	0	0	0	0	
---------	---	---	---	---	---	-------	--------	-------	---	---	---	---	--

Total = Sum(107) = 284.99 (107)

Space cooling requirement in kWh/m²/year

(107) ÷ (4) = 1.85 (108)

8f. Fabric Energy Efficiency (calculated only under special conditions, see section 11)

Fabric Energy Efficiency

(99) + (108) = 75.67 (109)

DER WorkSheet: New dwelling design stage



User Details:

Assessor Name: Chris Mcdonald **Stroma Number:** STRO007579
Software Name: Stroma FSAP 2012 **Software Version:** Version: 1.0.5.33

Property Address: Phase 2 Plot 1 LPG

Address : Land West of Broome Farm Barn, Broome, Craven Arms

1. Overall dwelling dimensions:

	Area(m ²)	Av. Height(m)	Volume(m ³)
Ground floor	153.77 (1a)	4.3 (2a)	661.21 (3a)
Total floor area TFA = (1a)+(1b)+(1c)+(1d)+(1e)+.....(1n)	153.77 (4)		
Dwelling volume			661.21 (5)

2. Ventilation rate:

	main heating	secondary heating	other	total	m ³ per hour
Number of chimneys	0	0	0	0	0 (6a)
Number of open flues	0	0	0	0	0 (6b)
Number of intermittent fans				4	40 (7a)
Number of passive vents				0	0 (7b)
Number of flueless gas fires				0	0 (7c)

Air changes per hour

Infiltration due to chimneys, flues and fans = (6a)+(6b)+(7a)+(7b)+(7c) =	40	÷ (5) =	0.06 (8)
<i>If a pressurisation test has been carried out or is intended, proceed to (17), otherwise continue from (9) to (16)</i>			
Number of storeys in the dwelling (ns)			0 (9)
Additional infiltration		[(9)-1]x0.1 =	0 (10)
Structural infiltration: 0.25 for steel or timber frame or 0.35 for masonry construction <i>if both types of wall are present, use the value corresponding to the greater wall area (after deducting areas of openings); if equal user 0.35</i>			0 (11)
If suspended wooden floor, enter 0.2 (unsealed) or 0.1 (sealed), else enter 0			0 (12)
If no draught lobby, enter 0.05, else enter 0			0 (13)
Percentage of windows and doors draught stripped			0 (14)
Window infiltration	0.25 - [0.2 x (14) ÷ 100] =		0 (15)
Infiltration rate	(8) + (10) + (11) + (12) + (13) + (15) =		0 (16)
Air permeability value, q50, expressed in cubic metres per hour per square metre of envelope area			5 (17)
If based on air permeability value, then (18) = [(17) ÷ 20]+(8), otherwise (18) = (16)			0.31 (18)
<i>Air permeability value applies if a pressurisation test has been done or a degree air permeability is being used</i>			
Number of sides sheltered			0 (19)
Shelter factor	(20) = 1 - [0.075 x (19)] =		1 (20)
Infiltration rate incorporating shelter factor	(21) = (18) x (20) =		0.31 (21)

Infiltration rate modified for monthly wind speed

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Monthly average wind speed from Table 7

(22)m=	5.1	5	4.9	4.4	4.3	3.8	3.8	3.7	4	4.3	4.5	4.7
--------	-----	---	-----	-----	-----	-----	-----	-----	---	-----	-----	-----

Wind Factor (22a)m = (22)m ÷ 4

(22a)m=	1.27	1.25	1.23	1.1	1.08	0.95	0.95	0.92	1	1.08	1.12	1.18
---------	------	------	------	-----	------	------	------	------	---	------	------	------

DER WorkSheet: New dwelling design stage

Adjusted infiltration rate (allowing for shelter and wind speed) = (21a) x (22a)m

0.4	0.39	0.38	0.34	0.33	0.29	0.29	0.29	0.31	0.33	0.35	0.36
-----	------	------	------	------	------	------	------	------	------	------	------

Calculate effective air change rate for the applicable case

If mechanical ventilation:

0 (23a)

If exhaust air heat pump using Appendix N, (23b) = (23a) x Fmv (equation (N5)) , otherwise (23b) = (23a)

0 (23b)

If balanced with heat recovery: efficiency in % allowing for in-use factor (from Table 4h) =

0 (23c)

a) If balanced mechanical ventilation with heat recovery (MVHR) (24a)m = (22b)m + (23b) x [1 - (23c) ÷ 100]

(24a)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24a)

b) If balanced mechanical ventilation without heat recovery (MV) (24b)m = (22b)m + (23b)

(24b)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24b)

c) If whole house extract ventilation or positive input ventilation from outside

if (22b)m < 0.5 x (23b), then (24c) = (23b); otherwise (24c) = (22b) m + 0.5 x (23b)

(24c)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24c)

d) If natural ventilation or whole house positive input ventilation from loft

if (22b)m = 1, then (24d)m = (22b)m otherwise (24d)m = 0.5 + [(22b)m² x 0.5]

(24d)m= 0.58 0.58 0.57 0.56 0.56 0.54 0.54 0.54 0.55 0.56 0.56 0.57 (24d)

Effective air change rate - enter (24a) or (24b) or (24c) or (24d) in box (25)

(25)m= 0.58 0.58 0.57 0.56 0.56 0.54 0.54 0.54 0.55 0.56 0.56 0.57 (25)

3. Heat losses and heat loss parameter:

ELEMENT	Gross area (m ²)	Openings m ²	Net Area A ,m ²	U-value W/m ² K	A X U (W/K)	k-value kJ/m ² -K	A X k kJ/K
Windows Type 1			4.52	x1/[1/(1.4)+0.04] =	5.99		(27)
Windows Type 2			14.08	x1/[1/(1.4)+0.04] =	18.67		(27)
Windows Type 3			2.83	x1/[1/(1.4)+0.04] =	3.75		(27)
Windows Type 4			14.01	x1/[1/(1.4)+0.04] =	18.57		(27)
Rooflights			1.29	x1/[1/(1.4)+0.04] =	1.806		(27b)
Floor			153.77	x 0.14 =	21.5278		(28)
Walls	197.52	35.44	162.08	x 0.16 =	25.93		(29)
Roof	218.5	1.29	217.21	x 0.16 =	34.75		(30)
Total area of elements, m ²			569.79				(31)

* for windows and roof windows, use effective window U-value calculated using formula 1/[1/(U-value)+0.04] as given in paragraph 3.2

** include the areas on both sides of internal walls and partitions

Fabric heat loss, W/K = S (A x U) (26)...(30) + (32) = 130.91 (33)

Heat capacity Cm = S(A x k) ((28)...(30) + (32) + (32a)...(32e) = 20328.31 (34)

Thermal mass parameter (TMP = Cm ÷ TFA) in kJ/m²K Indicative Value: Low 100 (35)

For design assessments where the details of the construction are not known precisely the indicative values of TMP in Table 1f can be used instead of a detailed calculation.

Thermal bridges : S (L x Y) calculated using Appendix K 28.22 (36)

if details of thermal bridging are not known (36) = 0.05 x (31)

Total fabric heat loss (33) + (36) = 159.13 (37)

Ventilation heat loss calculated monthly (38)m = 0.33 x (25)m x (5)

(38)m=	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	126.2	125.53	124.88	121.83	121.25	118.59	118.59	118.1	119.62	121.25	122.41	123.62

Heat transfer coefficient, W/K (39)m = (37) + (38)m

(39)m= 285.33 284.66 284.01 280.96 280.38 277.72 277.72 277.23 278.75 280.38 281.54 282.75 (39)

DER WorkSheet: New dwelling design stage

Heat loss parameter (HLP), W/m²K

(40)m = (39)m ÷ (4)

(40)m=	1.86	1.85	1.85	1.83	1.82	1.81	1.81	1.8	1.81	1.82	1.83	1.84	
Average = Sum(40) _{1...12} / 12 =												1.83	(40)

Number of days in month (Table 1a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(41)m=	31	28	31	30	31	30	31	31	30	31	30	31	(41)

4. Water heating energy requirement: kWh/year:

Assumed occupancy, N 2.94 (42)
 if TFA > 13.9, N = 1 + 1.76 x [1 - exp(-0.000349 x (TFA - 13.9)²)] + 0.0013 x (TFA - 13.9)
 if TFA ≤ 13.9, N = 1

Annual average hot water usage in litres per day Vd,average = (25 x N) + 36 104.02 (43)

Reduce the annual average hot water usage by 5% if the dwelling is designed to achieve a water use target of not more than 125 litres per person per day (all water use, hot and cold)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
<i>Hot water usage in litres per day for each month Vd,m = factor from Table 1c x (43)</i>													
(44)m=	114.43	110.26	106.1	101.94	97.78	93.62	93.62	97.78	101.94	106.1	110.26	114.43	(44)
Total = Sum(44) _{1...12} =												1248.28	

Energy content of hot water used - calculated monthly = 4.190 x Vd,m x nm x DTm / 3600 kWh/month (see Tables 1b, 1c, 1d)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(45)m=	169.69	148.41	153.15	133.52	128.11	110.55	102.44	117.55	118.96	138.63	151.33	164.34	(45)
Total = Sum(45) _{1...12} =												1636.69	

If instantaneous water heating at point of use (no hot water storage), enter 0 in boxes (46) to (61)

(46)m= 25.45 22.26 22.97 20.03 19.22 16.58 15.37 17.63 17.84 20.8 22.7 24.65 (46)

Water storage loss:

Storage volume (litres) including any solar or WWHRS storage within same vessel 210 (47)

If community heating and no tank in dwelling, enter 110 litres in (47)

Otherwise if no stored hot water (this includes instantaneous combi boilers) enter '0' in (47)

Water storage loss:

a) If manufacturer's declared loss factor is known (kWh/day): 0 (48)

Temperature factor from Table 2b 0 (49)

Energy lost from water storage, kWh/year (48) x (49) = 210 (50)

b) If manufacturer's declared cylinder loss factor is not known:

Hot water storage loss factor from Table 2 (kWh/litre/day) 0.01 (51)

If community heating see section 4.3

Volume factor from Table 2a 0.83 (52)

Temperature factor from Table 2b 0.54 (53)

Energy lost from water storage, kWh/year (47) x (51) x (52) x (53) = 0.97 (54)

Enter (50) or (54) in (55) 0.97 (55)

Water storage loss calculated for each month ((56)m = (55) x (41)m

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(56)m=	30.01	27.11	30.01	29.05	30.01	29.05	30.01	30.01	29.05	30.01	29.05	30.01	(56)

If cylinder contains dedicated solar storage, (57)m = (56)m x [(50) - (H11)] ÷ (50), else (57)m = (56)m where (H11) is from Appendix H

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(57)m=	30.01	27.11	30.01	29.05	30.01	29.05	30.01	30.01	29.05	30.01	29.05	30.01	(57)

Primary circuit loss (annual) from Table 3 0 (58)

Primary circuit loss calculated for each month (59)m = (58) ÷ 365 x (41)m

(modified by factor from Table H5 if there is solar water heating and a cylinder thermostat)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(59)m=	23.26	21.01	23.26	22.51	23.26	22.51	23.26	23.26	22.51	23.26	22.51	23.26	(59)

DER WorkSheet: New dwelling design stage

Combi loss calculated for each month (61)m = (60) ÷ 365 × (41)m

(61)m=	0	0	0	0	0	0	0	0	0	0	0	0	(61)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Total heat required for water heating calculated for each month (62)m = 0.85 × (45)m + (46)m + (57)m + (59)m + (61)m

(62)m=	222.97	196.53	206.42	185.07	181.39	162.11	155.72	170.83	170.52	191.91	202.89	217.61	(62)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Solar DHW input calculated using Appendix G or Appendix H (negative quantity) (enter '0' if no solar contribution to water heating)

(add additional lines if FGHRs and/or WWHRs applies, see Appendix G)

(63)m=	0	0	0	0	0	0	0	0	0	0	0	0	(63)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Output from water heater

(64)m=	222.97	196.53	206.42	185.07	181.39	162.11	155.72	170.83	170.52	191.91	202.89	217.61	(64)
Output from water heater (annual) ^{1...12}												2263.97	

Heat gains from water heating, kWh/month $0.25 \times [0.85 \times (45)m + (61)m] + 0.8 \times [(46)m + (57)m + (59)m]$

(65)m=	99.04	87.84	93.54	85.64	85.22	78	76.68	81.71	80.8	88.72	91.56	97.26	(65)
--------	-------	-------	-------	-------	-------	----	-------	-------	------	-------	-------	-------	------

include (57)m in calculation of (65)m only if cylinder is in the dwelling or hot water is from community heating

5. Internal gains (see Table 5 and 5a):

Metabolic gains (Table 5), Watts

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(66)m=	147	147	147	147	147	147	147	147	147	147	147	147	(66)

Lighting gains (calculated in Appendix L, equation L9 or L9a), also see Table 5

(67)m=	28.94	25.7	20.9	15.82	11.83	9.99	10.79	14.03	18.83	23.9	27.9	29.74	(67)
--------	-------	------	------	-------	-------	------	-------	-------	-------	------	------	-------	------

Appliances gains (calculated in Appendix L, equation L13 or L13a), also see Table 5

(68)m=	324.59	327.96	319.47	301.4	278.59	257.16	242.83	239.47	247.95	266.02	288.83	310.27	(68)
--------	--------	--------	--------	-------	--------	--------	--------	--------	--------	--------	--------	--------	------

Cooking gains (calculated in Appendix L, equation L15 or L15a), also see Table 5

(69)m=	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	(69)
--------	------	------	------	------	------	------	------	------	------	------	------	------	------

Pumps and fans gains (Table 5a)

(70)m=	3	3	3	3	3	3	3	3	3	3	3	3	(70)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Losses e.g. evaporation (negative values) (Table 5)

(71)m=	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	(71)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Water heating gains (Table 5)

(72)m=	133.12	130.72	125.73	118.94	114.54	108.34	103.07	109.82	112.22	119.24	127.17	130.73	(72)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Total internal gains = (66)m + (67)m + (68)m + (69)m + (70)m + (71)m + (72)m

(73)m=	556.75	554.48	536.2	506.27	475.06	445.58	426.79	433.41	449.1	479.27	514	540.84	(73)
--------	--------	--------	-------	--------	--------	--------	--------	--------	-------	--------	-----	--------	------

6. Solar gains:

Solar gains are calculated using solar flux from Table 6a and associated equations to convert to the applicable orientation.

Orientation:	Access Factor Table 6d	Area m ²	Flux Table 6a	g _g Table 6b	FF Table 6c	Gains (W)
Northeast 0.9x	0.77	14.01	11.28	0.63	0.7	48.31 (75)
Northeast 0.9x	0.77	14.01	22.97	0.63	0.7	98.34 (75)
Northeast 0.9x	0.77	14.01	41.38	0.63	0.7	177.17 (75)
Northeast 0.9x	0.77	14.01	67.96	0.63	0.7	290.96 (75)
Northeast 0.9x	0.77	14.01	91.35	0.63	0.7	391.11 (75)



DER WorkSheet: New dwelling design stage

Northeast 0.9x	0.77	x	14.01	x	97.38	x	0.63	x	0.7	=	416.97	(75)
Northeast 0.9x	0.77	x	14.01	x	91.1	x	0.63	x	0.7	=	390.06	(75)
Northeast 0.9x	0.77	x	14.01	x	72.63	x	0.63	x	0.7	=	310.96	(75)
Northeast 0.9x	0.77	x	14.01	x	50.42	x	0.63	x	0.7	=	215.88	(75)
Northeast 0.9x	0.77	x	14.01	x	28.07	x	0.63	x	0.7	=	120.17	(75)
Northeast 0.9x	0.77	x	14.01	x	14.2	x	0.63	x	0.7	=	60.79	(75)
Northeast 0.9x	0.77	x	14.01	x	9.21	x	0.63	x	0.7	=	39.45	(75)
Southeast 0.9x	0.77	x	2.83	x	36.79	x	0.63	x	0.7	=	31.82	(77)
Southeast 0.9x	0.77	x	2.83	x	62.67	x	0.63	x	0.7	=	54.21	(77)
Southeast 0.9x	0.77	x	2.83	x	85.75	x	0.63	x	0.7	=	74.17	(77)
Southeast 0.9x	0.77	x	2.83	x	106.25	x	0.63	x	0.7	=	91.9	(77)
Southeast 0.9x	0.77	x	2.83	x	119.01	x	0.63	x	0.7	=	102.93	(77)
Southeast 0.9x	0.77	x	2.83	x	118.15	x	0.63	x	0.7	=	102.19	(77)
Southeast 0.9x	0.77	x	2.83	x	113.91	x	0.63	x	0.7	=	98.52	(77)
Southeast 0.9x	0.77	x	2.83	x	104.39	x	0.63	x	0.7	=	90.29	(77)
Southeast 0.9x	0.77	x	2.83	x	92.85	x	0.63	x	0.7	=	80.31	(77)
Southeast 0.9x	0.77	x	2.83	x	69.27	x	0.63	x	0.7	=	59.91	(77)
Southeast 0.9x	0.77	x	2.83	x	44.07	x	0.63	x	0.7	=	38.12	(77)
Southeast 0.9x	0.77	x	2.83	x	31.49	x	0.63	x	0.7	=	27.23	(77)
Southwest 0.9x	0.77	x	14.08	x	36.79		0.63	x	0.7	=	158.32	(79)
Southwest 0.9x	0.77	x	14.08	x	62.67		0.63	x	0.7	=	269.69	(79)
Southwest 0.9x	0.77	x	14.08	x	85.75		0.63	x	0.7	=	369	(79)
Southwest 0.9x	0.77	x	14.08	x	106.25		0.63	x	0.7	=	457.2	(79)
Southwest 0.9x	0.77	x	14.08	x	119.01		0.63	x	0.7	=	512.11	(79)
Southwest 0.9x	0.77	x	14.08	x	118.15		0.63	x	0.7	=	508.4	(79)
Southwest 0.9x	0.77	x	14.08	x	113.91		0.63	x	0.7	=	490.15	(79)
Southwest 0.9x	0.77	x	14.08	x	104.39		0.63	x	0.7	=	449.2	(79)
Southwest 0.9x	0.77	x	14.08	x	92.85		0.63	x	0.7	=	399.54	(79)
Southwest 0.9x	0.77	x	14.08	x	69.27		0.63	x	0.7	=	298.06	(79)
Southwest 0.9x	0.77	x	14.08	x	44.07		0.63	x	0.7	=	189.64	(79)
Southwest 0.9x	0.77	x	14.08	x	31.49		0.63	x	0.7	=	135.49	(79)
Northwest 0.9x	0.77	x	4.52	x	11.28	x	0.63	x	0.7	=	15.59	(81)
Northwest 0.9x	0.77	x	4.52	x	22.97	x	0.63	x	0.7	=	31.73	(81)
Northwest 0.9x	0.77	x	4.52	x	41.38	x	0.63	x	0.7	=	57.16	(81)
Northwest 0.9x	0.77	x	4.52	x	67.96	x	0.63	x	0.7	=	93.87	(81)
Northwest 0.9x	0.77	x	4.52	x	91.35	x	0.63	x	0.7	=	126.18	(81)
Northwest 0.9x	0.77	x	4.52	x	97.38	x	0.63	x	0.7	=	134.52	(81)
Northwest 0.9x	0.77	x	4.52	x	91.1	x	0.63	x	0.7	=	125.84	(81)
Northwest 0.9x	0.77	x	4.52	x	72.63	x	0.63	x	0.7	=	100.32	(81)
Northwest 0.9x	0.77	x	4.52	x	50.42	x	0.63	x	0.7	=	69.65	(81)
Northwest 0.9x	0.77	x	4.52	x	28.07	x	0.63	x	0.7	=	38.77	(81)

DER WorkSheet: New dwelling design stage

Northwest 0.9x	0.77	x	4.52	x	14.2	x	0.63	x	0.7	=	19.61	(81)
Northwest 0.9x	0.77	x	4.52	x	9.21	x	0.63	x	0.7	=	12.73	(81)
Rooflights 0.9x	1	x	1.29	x	39.98	x	0.63	x	0.7	=	20.47	(82)
Rooflights 0.9x	1	x	1.29	x	73.48	x	0.63	x	0.7	=	37.62	(82)
Rooflights 0.9x	1	x	1.29	x	112.11	x	0.63	x	0.7	=	57.4	(82)
Rooflights 0.9x	1	x	1.29	x	153.81	x	0.63	x	0.7	=	78.75	(82)
Rooflights 0.9x	1	x	1.29	x	182.63	x	0.63	x	0.7	=	93.51	(82)
Rooflights 0.9x	1	x	1.29	x	184.99	x	0.63	x	0.7	=	94.72	(82)
Rooflights 0.9x	1	x	1.29	x	176.88	x	0.63	x	0.7	=	90.57	(82)
Rooflights 0.9x	1	x	1.29	x	155.4	x	0.63	x	0.7	=	79.56	(82)
Rooflights 0.9x	1	x	1.29	x	126.86	x	0.63	x	0.7	=	64.95	(82)
Rooflights 0.9x	1	x	1.29	x	84.6	x	0.63	x	0.7	=	43.31	(82)
Rooflights 0.9x	1	x	1.29	x	48.93	x	0.63	x	0.7	=	25.05	(82)
Rooflights 0.9x	1	x	1.29	x	33.5	x	0.63	x	0.7	=	17.15	(82)

Solar gains in watts, calculated for each month (83)m = Sum(74)m ... (82)m

(83)m=	274.51	491.58	734.89	1012.69	1225.84	1256.8	1195.15	1030.33	830.33	560.23	333.2	232.06	(83)
--------	--------	--------	--------	---------	---------	--------	---------	---------	--------	--------	-------	--------	------

Total gains – internal and solar (84)m = (73)m + (83)m , watts

(84)m=	831.26	1046.06	1271.1	1518.96	1700.9	1702.38	1621.94	1463.74	1279.44	1039.5	847.2	772.9	(84)
--------	--------	---------	--------	---------	--------	---------	---------	---------	---------	--------	-------	-------	------

7. Mean internal temperature (heating season)

Temperature during heating periods in the living area from Table 9, Th1 (°C) 21 (85)

Utilisation factor for gains for living area, h1,m (see Table 9a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(86)m=	0.97	0.96	0.93	0.88	0.8	0.68	0.57	0.62	0.79	0.92	0.96	0.98	(86)

Mean internal temperature in living area T1 (follow steps 3 to 7 in Table 9c)

(87)m=	18.1	18.36	18.81	19.41	19.98	20.43	20.66	20.61	20.22	19.48	18.69	18.06	(87)
--------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Temperature during heating periods in rest of dwelling from Table 9, Th2 (°C)

(88)m=	19.43	19.43	19.44	19.45	19.45	19.47	19.47	19.47	19.46	19.45	19.45	19.44	(88)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Utilisation factor for gains for rest of dwelling, h2,m (see Table 9a)

(89)m=	0.97	0.95	0.92	0.85	0.75	0.59	0.42	0.48	0.72	0.89	0.96	0.97	(89)
--------	------	------	------	------	------	------	------	------	------	------	------	------	------

Mean internal temperature in the rest of dwelling T2 (follow steps 3 to 7 in Table 9c)

(90)m=	15.68	16.05	16.7	17.55	18.34	18.92	19.16	19.13	18.68	17.67	16.53	15.62	(90)
--------	-------	-------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

fLA = Living area ÷ (4) = 0.27 (91)

Mean internal temperature (for the whole dwelling) = fLA × T1 + (1 – fLA) × T2

(92)m=	16.33	16.67	17.26	18.05	18.78	19.32	19.56	19.52	19.09	18.16	17.11	16.28	(92)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

Apply adjustment to the mean internal temperature from Table 4e, where appropriate

(93)m=	16.33	16.67	17.26	18.05	18.78	19.32	19.56	19.52	19.09	18.16	17.11	16.28	(93)
--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

8. Space heating requirement

Set Ti to the mean internal temperature obtained at step 11 of Table 9b, so that Ti,m=(76)m and re-calculate the utilisation factor for gains using Table 9a

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(94)m=	0.95	0.93	0.89	0.82	0.72	0.58	0.44	0.49	0.7	0.86	0.94	0.96	(94)

DER WorkSheet: New dwelling design stage



Useful gains, hmGm , W = (94)m x (84)m

(95)m=	793.67	973.77	1133.11	1248.14	1221.92	986.45	705.56	712.76	891.61	896.75	792.93	742.24	(95)
--------	--------	--------	---------	---------	---------	--------	--------	--------	--------	--------	--------	--------	------

Monthly average external temperature from Table 8

(96)m=	4.3	4.9	6.5	8.9	11.7	14.6	16.6	16.4	14.1	10.6	7.1	4.2	(96)
--------	-----	-----	-----	-----	------	------	------	------	------	------	-----	-----	------

Heat loss rate for mean internal temperature, Lm , W =[(39)m x [(93)m– (96)m]

(97)m=	3432.06	3350.8	3057.03	2571.39	1984.56	1312.06	823.43	866.17	1392.26	2118.35	2817.99	3415.12	(97)
--------	---------	--------	---------	---------	---------	---------	--------	--------	---------	---------	---------	---------	------

Space heating requirement for each month, kWh/month = 0.024 x [(97)m – (95)m] x (41)m

(98)m=	1962.97	1597.37	1431.39	952.74	567.4	0	0	0	0	908.88	1458.05	1988.62	(98)
--------	---------	---------	---------	--------	-------	---	---	---	---	--------	---------	---------	------

Total per year (kWh/year) = Sum(98)_{1...5,9...12} = 10867.41

Space heating requirement in kWh/m²/year

(99)	70.67
------	-------

9a. Energy requirements – Individual heating systems including micro-CHP

Space heating:

Fraction of space heat from secondary/supplementary system

(201)	0
-------	---

Fraction of space heat from main system(s)

(202) = 1 – (201) =

(202)	1
-------	---

Fraction of total heating from main system 1

(204) = (202) x [1 – (203)] =

(204)	1
-------	---

Efficiency of main space heating system 1

(206)	90.9
-------	------

Efficiency of secondary/supplementary heating system, %

(208)	0
-------	---

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	kWh/year
--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----------

Space heating requirement (calculated above)

	1962.97	1597.37	1431.39	952.74	567.4	0	0	0	0	908.88	1458.05	1988.62
--	---------	---------	---------	--------	-------	---	---	---	---	--------	---------	---------

(211)m = {[(98)m x (204)] } x 100 ÷ (206)

	2159.48	1757.28	1574.69	1048.12	624.21	0	0	0	0	999.86	1604.01	2187.7
--	---------	---------	---------	---------	--------	---	---	---	---	--------	---------	--------

Total (kWh/year) =Sum(211)_{1...5,10...12} = 11955.35

Space heating fuel (secondary), kWh/month

= {[(98)m x (201)] } x 100 ÷ (208)

(215)m=	0	0	0	0	0	0	0	0	0	0	0	0
---------	---	---	---	---	---	---	---	---	---	---	---	---

Total (kWh/year) =Sum(215)_{1...5,10...12} = 0

Water heating

Output from water heater (calculated above)

	222.97	196.53	206.42	185.07	181.39	162.11	155.72	170.83	170.52	191.91	202.89	217.61
--	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Efficiency of water heater

(216)	80.8
-------	------

(217)m=	89.76	89.67	89.49	89.09	88.23	80.8	80.8	80.8	80.8	88.96	89.53	89.79	(217)
---------	-------	-------	-------	-------	-------	------	------	------	------	-------	-------	-------	-------

Fuel for water heating, kWh/month

(219)m = (64)m x 100 ÷ (217)m

(219)m=	248.41	219.17	230.67	207.74	205.59	200.63	192.72	211.42	211.03	215.72	226.61	242.35
---------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Total = Sum(219a)_{1...12} = 2612.07

Annual totals

Space heating fuel used, main system 1

(219)	11955.35
-------	----------

Water heating fuel used

(219)	2612.07
-------	---------

Electricity for pumps, fans and electric keep-hot

central heating pump:

(230c)	30
--------	----

DER WorkSheet: New dwelling design stage



boiler with a fan-assisted flue		45	(230e)
Total electricity for the above, kWh/year	sum of (230a)...(230g) =	75	(231)
Electricity for lighting		511.05	(232)
Electricity generated by PVs		-649.44	(233)
Total delivered energy for all uses (211)...(221) + (231) + (232)...(237b) =		14584.82	(338)

12a. CO2 emissions – Individual heating systems including micro-CHP

	Energy kWh/year		Emission factor kg CO2/kWh		Emissions kg CO2/year
Space heating (main system 1)	(211) x		0.241	=	2881.24 (261)
Space heating (secondary)	(215) x		0.519	=	0 (263)
Water heating	(219) x		0.241	=	629.51 (264)
Space and water heating	(261) + (262) + (263) + (264) =				3510.75 (265)
Electricity for pumps, fans and electric keep-hot	(231) x		0.519	=	38.93 (267)
Electricity for lighting	(232) x		0.519	=	265.24 (268)
Energy saving/generation technologies Item 1			0.519	=	-337.06 (269)
Total CO2, kg/year		sum of (265)...(271) =			3477.85 (272)
Dwelling CO2 Emission Rate		(272) ÷ (4) =			22.62 (273)
El rating (section 14)					77 (274)



TER WorkSheet: New dwelling design stage

User Details:

Assessor Name: Chris Mcdonald **Stroma Number:** STRO007579
Software Name: Stroma FSAP 2012 **Software Version:** Version: 1.0.5.33

Property Address: Phase 2 Plot 1 LPG

Address : Land West of Broome Farm Barn, Broome, Craven Arms

1. Overall dwelling dimensions:

	Area(m ²)	Av. Height(m)	Volume(m ³)
Ground floor	153.77 (1a)	4.3 (2a)	661.21 (3a)
Total floor area TFA = (1a)+(1b)+(1c)+(1d)+(1e)+.....(1n)	153.77 (4)		
Dwelling volume		(3a)+(3b)+(3c)+(3d)+(3e)+.....(3n)	661.21 (5)

2. Ventilation rate:

	main heating	secondary heating	other	total	m ³ per hour
Number of chimneys	0	0	0	0	0 (6a)
Number of open flues	0	0	0	0	0 (6b)
Number of intermittent fans				4	40 (7a)
Number of passive vents				0	0 (7b)
Number of flueless gas fires				0	0 (7c)

Air changes per hour

Infiltration due to chimneys, flues and fans = (6a)+(6b)+(7a)+(7b)+(7c) =	40	÷ (5) =	0.06 (8)
<i>If a pressurisation test has been carried out or is intended, proceed to (17), otherwise continue from (9) to (16)</i>			
Number of storeys in the dwelling (ns)			0 (9)
Additional infiltration		[(9)-1]x0.1 =	0 (10)
Structural infiltration: 0.25 for steel or timber frame or 0.35 for masonry construction <i>if both types of wall are present, use the value corresponding to the greater wall area (after deducting areas of openings); if equal user 0.35</i>			0 (11)
If suspended wooden floor, enter 0.2 (unsealed) or 0.1 (sealed), else enter 0			0 (12)
If no draught lobby, enter 0.05, else enter 0			0 (13)
Percentage of windows and doors draught stripped			0 (14)
Window infiltration	0.25 - [0.2 x (14) ÷ 100] =		0 (15)
Infiltration rate	(8) + (10) + (11) + (12) + (13) + (15) =		0 (16)
Air permeability value, q50, expressed in cubic metres per hour per square metre of envelope area			5 (17)
If based on air permeability value, then (18) = [(17) ÷ 20]+(8), otherwise (18) = (16)			0.31 (18)
<i>Air permeability value applies if a pressurisation test has been done or a degree air permeability is being used</i>			
Number of sides sheltered			0 (19)
Shelter factor	(20) = 1 - [0.075 x (19)] =		1 (20)
Infiltration rate incorporating shelter factor	(21) = (18) x (20) =		0.31 (21)

Infiltration rate modified for monthly wind speed

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Monthly average wind speed from Table 7

(22)m=	5.1	5	4.9	4.4	4.3	3.8	3.8	3.7	4	4.3	4.5	4.7
--------	-----	---	-----	-----	-----	-----	-----	-----	---	-----	-----	-----

Wind Factor (22a)m = (22)m ÷ 4

(22a)m=	1.27	1.25	1.23	1.1	1.08	0.95	0.95	0.92	1	1.08	1.12	1.18
---------	------	------	------	-----	------	------	------	------	---	------	------	------

TER WorkSheet: New dwelling design stage

Adjusted infiltration rate (allowing for shelter and wind speed) = (21a) x (22a)m

0.4	0.39	0.38	0.34	0.33	0.29	0.29	0.29	0.31	0.33	0.35	0.36
-----	------	------	------	------	------	------	------	------	------	------	------

Calculate effective air change rate for the applicable case

If mechanical ventilation:

0 (23a)

If exhaust air heat pump using Appendix N, (23b) = (23a) x Fmv (equation (N5)) , otherwise (23b) = (23a)

0 (23b)

If balanced with heat recovery: efficiency in % allowing for in-use factor (from Table 4h) =

0 (23c)

a) If balanced mechanical ventilation with heat recovery (MVHR) (24a)m = (22b)m + (23b) x [1 - (23c) ÷ 100]

(24a)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24a)

b) If balanced mechanical ventilation without heat recovery (MV) (24b)m = (22b)m + (23b)

(24b)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24b)

c) If whole house extract ventilation or positive input ventilation from outside

if (22b)m < 0.5 x (23b), then (24c) = (23b); otherwise (24c) = (22b) m + 0.5 x (23b)

(24c)m= 0 0 0 0 0 0 0 0 0 0 0 0 (24c)

d) If natural ventilation or whole house positive input ventilation from loft

if (22b)m = 1, then (24d)m = (22b)m otherwise (24d)m = 0.5 + [(22b)m² x 0.5]

(24d)m= 0.58 0.58 0.57 0.56 0.56 0.54 0.54 0.54 0.55 0.56 0.56 0.57 (24d)

Effective air change rate - enter (24a) or (24b) or (24c) or (24d) in box (25)

(25)m= 0.58 0.58 0.57 0.56 0.56 0.54 0.54 0.54 0.55 0.56 0.56 0.57 (25)

3. Heat losses and heat loss parameter:

ELEMENT	Gross area (m ²)	Openings m ²	Net Area A ,m ²	U-value W/m ² K	A X U (W/K)	k-value kJ/m ² -K	A X k kJ/K
Windows Type 1			4.52	x1/[1/(1.4)+0.04] =	5.99		(27)
Windows Type 2			14.08	x1/[1/(1.4)+0.04] =	18.67		(27)
Windows Type 3			2.83	x1/[1/(1.4)+0.04] =	3.75		(27)
Windows Type 4			14.01	x1/[1/(1.4)+0.04] =	18.57		(27)
Rooflights			1.29	x1/[1/(1.7)+0.04] =	2.193		(27b)
Floor			153.77	x 0.13 =	19.9901		(28)
Walls	197.52	35.44	162.08	x 0.18 =	29.17		(29)
Roof	218.5	1.29	217.21	x 0.13 =	28.24		(30)
Total area of elements, m ²			569.79				(31)

* for windows and roof windows, use effective window U-value calculated using formula 1/[1/(U-value)+0.04] as given in paragraph 3.2

** include the areas on both sides of internal walls and partitions

Fabric heat loss, W/K = S (A x U) (26)...(30) + (32) = 126.44 (33)

Heat capacity Cm = S(A x k) ((28)...(30) + (32) + (32a)...(32e) = 20328.31 (34)

Thermal mass parameter (TMP = Cm ÷ TFA) in kJ/m²K Indicative Value: Medium 250 (35)

For design assessments where the details of the construction are not known precisely the indicative values of TMP in Table 1f can be used instead of a detailed calculation.

Thermal bridges : S (L x Y) calculated using Appendix K 19.2 (36)

if details of thermal bridging are not known (36) = 0.05 x (31)

Total fabric heat loss (33) + (36) = 145.64 (37)

Ventilation heat loss calculated monthly (38)m = 0.33 x (25)m x (5)

(38)m=	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	126.2	125.53	124.88	121.83	121.25	118.59	118.59	118.1	119.62	121.25	122.41	123.62

Heat transfer coefficient, W/K (39)m = (37) + (38)m

(39)m= 271.84 271.18 270.53 267.47 266.9 264.24 264.24 263.74 265.26 266.9 268.06 269.27 (39)

TER WorkSheet: New dwelling design stage

Heat loss parameter (HLP), W/m²K

(40)m = (39)m ÷ (4)

(40)m=	1.77	1.76	1.76	1.74	1.74	1.72	1.72	1.72	1.73	1.74	1.74	1.75	
	Average = Sum(40) _{1...12} / 12 =											1.74	(40)

Number of days in month (Table 1a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(41)m=	31	28	31	30	31	30	31	31	30	31	30	31	(41)

4. Water heating energy requirement: kWh/year:

Assumed occupancy, N 2.94 (42)
 if TFA > 13.9, N = 1 + 1.76 x [1 - exp(-0.000349 x (TFA - 13.9)²)] + 0.0013 x (TFA - 13.9)
 if TFA ≤ 13.9, N = 1

Annual average hot water usage in litres per day Vd,average = (25 x N) + 36 104.02 (43)

Reduce the annual average hot water usage by 5% if the dwelling is designed to achieve a water use target of not more than 125 litres per person per day (all water use, hot and cold)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
<i>Hot water usage in litres per day for each month Vd,m = factor from Table 1c x (43)</i>													
(44)m=	114.43	110.26	106.1	101.94	97.78	93.62	93.62	97.78	101.94	106.1	110.26	114.43	
	Total = Sum(44) _{1...12} =											1248.28	(44)

Energy content of hot water used - calculated monthly = 4.190 x Vd,m x nm x DTm / 3600 kWh/month (see Tables 1b, 1c, 1d)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(45)m=	169.69	148.41	153.15	133.52	128.11	110.55	102.44	117.55	118.96	138.63	151.33	164.34	
	Total = Sum(45) _{1...12} =											1636.69	(45)

If instantaneous water heating at point of use (no hot water storage), enter 0 in boxes (46) to (61)

(46)m= 25.45 22.26 22.97 20.03 19.22 16.58 15.37 17.63 17.84 20.8 22.7 24.65 (46)

Water storage loss:

Storage volume (litres) including any solar or WWHRS storage within same vessel 150 (47)

If community heating and no tank in dwelling, enter 110 litres in (47)

Otherwise if no stored hot water (this includes instantaneous combi boilers) enter '0' in (47)

Water storage loss:

a) If manufacturer's declared loss factor is known (kWh/day): 1.7 (48)

Temperature factor from Table 2b 0.54 (49)

Energy lost from water storage, kWh/year (48) x (49) = 0.92 (50)

b) If manufacturer's declared cylinder loss factor is not known:

Hot water storage loss factor from Table 2 (kWh/litre/day) 0 (51)

If community heating see section 4.3

Volume factor from Table 2a 0 (52)

Temperature factor from Table 2b 0 (53)

Energy lost from water storage, kWh/year (47) x (51) x (52) x (53) = 0 (54)

Enter (50) or (54) in (55) 0.92 (55)

Water storage loss calculated for each month (56)m = (55) x (41)m

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(56)m=	28.48	25.73	28.48	27.57	28.48	27.57	28.48	28.48	27.57	28.48	27.57	28.48	(56)

If cylinder contains dedicated solar storage, (57)m = (56)m x [(50) - (H11)] ÷ (50), else (57)m = (56)m where (H11) is from Appendix H

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(57)m=	28.48	25.73	28.48	27.57	28.48	27.57	28.48	28.48	27.57	28.48	27.57	28.48	(57)

Primary circuit loss (annual) from Table 3 0 (58)

Primary circuit loss calculated for each month (59)m = (58) ÷ 365 x (41)m

(modified by factor from Table H5 if there is solar water heating and a cylinder thermostat)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(59)m=	23.26	21.01	23.26	22.51	23.26	22.51	23.26	23.26	22.51	23.26	22.51	23.26	(59)

TER WorkSheet: New dwelling design stage

Combi loss calculated for each month (61)m = (60) ÷ 365 × (41)m

(61)m=	0	0	0	0	0	0	0	0	0	0	0	0	(61)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Total heat required for water heating calculated for each month (62)m = 0.85 × (45)m + (46)m + (57)m + (59)m + (61)m

(62)m=	221.44	195.15	204.89	183.6	179.86	160.63	154.19	169.3	169.04	190.38	201.41	216.08	(62)
--------	--------	--------	--------	-------	--------	--------	--------	-------	--------	--------	--------	--------	------

Solar DHW input calculated using Appendix G or Appendix H (negative quantity) (enter '0' if no solar contribution to water heating)

(add additional lines if FGHRs and/or WWHRs applies, see Appendix G)

(63)m=	0	0	0	0	0	0	0	0	0	0	0	0	(63)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Output from water heater

(64)m=	221.44	195.15	204.89	183.6	179.86	160.63	154.19	169.3	169.04	190.38	201.41	216.08	(64)
Output from water heater (annual) ^{1...12}												2245.96	

Heat gains from water heating, kWh/month $0.25 \times [0.85 \times (45)m + (61)m] + 0.8 \times [(46)m + (57)m + (59)m]$

(65)m=	97.82	86.74	92.32	84.46	84	76.82	75.46	80.48	79.62	87.49	90.38	96.04	(65)
--------	-------	-------	-------	-------	----	-------	-------	-------	-------	-------	-------	-------	------

include (57)m in calculation of (65)m only if cylinder is in the dwelling or hot water is from community heating

5. Internal gains (see Table 5 and 5a):

Metabolic gains (Table 5), Watts

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(66)m=	147	147	147	147	147	147	147	147	147	147	147	147	(66)

Lighting gains (calculated in Appendix L, equation L9 or L9a), also see Table 5

(67)m=	28.94	25.7	20.9	15.82	11.83	9.99	10.79	14.03	18.83	23.9	27.9	29.74	(67)
--------	-------	------	------	-------	-------	------	-------	-------	-------	------	------	-------	------

Appliances gains (calculated in Appendix L, equation L13 or L13a), also see Table 5

(68)m=	324.59	327.96	319.47	301.4	278.59	257.16	242.83	239.47	247.95	266.02	288.83	310.27	(68)
--------	--------	--------	--------	-------	--------	--------	--------	--------	--------	--------	--------	--------	------

Cooking gains (calculated in Appendix L, equation L15 or L15a), also see Table 5

(69)m=	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.7	(69)
--------	------	------	------	------	------	------	------	------	------	------	------	------	------

Pumps and fans gains (Table 5a)

(70)m=	3	3	3	3	3	3	3	3	3	3	3	3	(70)
--------	---	---	---	---	---	---	---	---	---	---	---	---	------

Losses e.g. evaporation (negative values) (Table 5)

(71)m=	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	-117.6	(71)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------

Water heating gains (Table 5)

(72)m=	131.48	129.07	124.08	117.3	112.9	106.7	101.42	108.18	110.58	117.6	125.53	129.08	(72)
--------	--------	--------	--------	-------	-------	-------	--------	--------	--------	-------	--------	--------	------

Total internal gains = (66)m + (67)m + (68)m + (69)m + (70)m + (71)m + (72)m

(73)m=	555.11	552.84	534.56	504.63	473.42	443.94	425.15	431.77	447.46	477.63	512.36	539.2	(73)
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	-------	------

6. Solar gains:

Solar gains are calculated using solar flux from Table 6a and associated equations to convert to the applicable orientation.

Orientation:	Access Factor Table 6d	Area m ²	Flux Table 6a	g _o Table 6b	FF Table 6c	Gains (W)
Northeast 0.9x	0.77	14.01	11.28	0.63	0.7	48.31 (75)
Northeast 0.9x	0.77	14.01	22.97	0.63	0.7	98.34 (75)
Northeast 0.9x	0.77	14.01	41.38	0.63	0.7	177.17 (75)
Northeast 0.9x	0.77	14.01	67.96	0.63	0.7	290.96 (75)
Northeast 0.9x	0.77	14.01	91.35	0.63	0.7	391.11 (75)



TER WorkSheet: New dwelling design stage

Northeast 0.9x	0.77	x	14.01	x	97.38	x	0.63	x	0.7	=	416.97	(75)
Northeast 0.9x	0.77	x	14.01	x	91.1	x	0.63	x	0.7	=	390.06	(75)
Northeast 0.9x	0.77	x	14.01	x	72.63	x	0.63	x	0.7	=	310.96	(75)
Northeast 0.9x	0.77	x	14.01	x	50.42	x	0.63	x	0.7	=	215.88	(75)
Northeast 0.9x	0.77	x	14.01	x	28.07	x	0.63	x	0.7	=	120.17	(75)
Northeast 0.9x	0.77	x	14.01	x	14.2	x	0.63	x	0.7	=	60.79	(75)
Northeast 0.9x	0.77	x	14.01	x	9.21	x	0.63	x	0.7	=	39.45	(75)
Southeast 0.9x	0.77	x	2.83	x	36.79	x	0.63	x	0.7	=	31.82	(77)
Southeast 0.9x	0.77	x	2.83	x	62.67	x	0.63	x	0.7	=	54.21	(77)
Southeast 0.9x	0.77	x	2.83	x	85.75	x	0.63	x	0.7	=	74.17	(77)
Southeast 0.9x	0.77	x	2.83	x	106.25	x	0.63	x	0.7	=	91.9	(77)
Southeast 0.9x	0.77	x	2.83	x	119.01	x	0.63	x	0.7	=	102.93	(77)
Southeast 0.9x	0.77	x	2.83	x	118.15	x	0.63	x	0.7	=	102.19	(77)
Southeast 0.9x	0.77	x	2.83	x	113.91	x	0.63	x	0.7	=	98.52	(77)
Southeast 0.9x	0.77	x	2.83	x	104.39	x	0.63	x	0.7	=	90.29	(77)
Southeast 0.9x	0.77	x	2.83	x	92.85	x	0.63	x	0.7	=	80.31	(77)
Southeast 0.9x	0.77	x	2.83	x	69.27	x	0.63	x	0.7	=	59.91	(77)
Southeast 0.9x	0.77	x	2.83	x	44.07	x	0.63	x	0.7	=	38.12	(77)
Southeast 0.9x	0.77	x	2.83	x	31.49	x	0.63	x	0.7	=	27.23	(77)
Southwest 0.9x	0.77	x	14.08	x	36.79		0.63	x	0.7	=	158.32	(79)
Southwest 0.9x	0.77	x	14.08	x	62.67		0.63	x	0.7	=	269.69	(79)
Southwest 0.9x	0.77	x	14.08	x	85.75		0.63	x	0.7	=	369	(79)
Southwest 0.9x	0.77	x	14.08	x	106.25		0.63	x	0.7	=	457.2	(79)
Southwest 0.9x	0.77	x	14.08	x	119.01		0.63	x	0.7	=	512.11	(79)
Southwest 0.9x	0.77	x	14.08	x	118.15		0.63	x	0.7	=	508.4	(79)
Southwest 0.9x	0.77	x	14.08	x	113.91		0.63	x	0.7	=	490.15	(79)
Southwest 0.9x	0.77	x	14.08	x	104.39		0.63	x	0.7	=	449.2	(79)
Southwest 0.9x	0.77	x	14.08	x	92.85		0.63	x	0.7	=	399.54	(79)
Southwest 0.9x	0.77	x	14.08	x	69.27		0.63	x	0.7	=	298.06	(79)
Southwest 0.9x	0.77	x	14.08	x	44.07		0.63	x	0.7	=	189.64	(79)
Southwest 0.9x	0.77	x	14.08	x	31.49		0.63	x	0.7	=	135.49	(79)
Northwest 0.9x	0.77	x	4.52	x	11.28	x	0.63	x	0.7	=	15.59	(81)
Northwest 0.9x	0.77	x	4.52	x	22.97	x	0.63	x	0.7	=	31.73	(81)
Northwest 0.9x	0.77	x	4.52	x	41.38	x	0.63	x	0.7	=	57.16	(81)
Northwest 0.9x	0.77	x	4.52	x	67.96	x	0.63	x	0.7	=	93.87	(81)
Northwest 0.9x	0.77	x	4.52	x	91.35	x	0.63	x	0.7	=	126.18	(81)
Northwest 0.9x	0.77	x	4.52	x	97.38	x	0.63	x	0.7	=	134.52	(81)
Northwest 0.9x	0.77	x	4.52	x	91.1	x	0.63	x	0.7	=	125.84	(81)
Northwest 0.9x	0.77	x	4.52	x	72.63	x	0.63	x	0.7	=	100.32	(81)
Northwest 0.9x	0.77	x	4.52	x	50.42	x	0.63	x	0.7	=	69.65	(81)
Northwest 0.9x	0.77	x	4.52	x	28.07	x	0.63	x	0.7	=	38.77	(81)

TER WorkSheet: New dwelling design stage

Northwest 0.9x	0.77	x	4.52	x	14.2	x	0.63	x	0.7	=	19.61	(81)
Northwest 0.9x	0.77	x	4.52	x	9.21	x	0.63	x	0.7	=	12.73	(81)
Rooflights 0.9x	1	x	1.29	x	39.98	x	0.63	x	0.7	=	20.47	(82)
Rooflights 0.9x	1	x	1.29	x	73.48	x	0.63	x	0.7	=	37.62	(82)
Rooflights 0.9x	1	x	1.29	x	112.11	x	0.63	x	0.7	=	57.4	(82)
Rooflights 0.9x	1	x	1.29	x	153.81	x	0.63	x	0.7	=	78.75	(82)
Rooflights 0.9x	1	x	1.29	x	182.63	x	0.63	x	0.7	=	93.51	(82)
Rooflights 0.9x	1	x	1.29	x	184.99	x	0.63	x	0.7	=	94.72	(82)
Rooflights 0.9x	1	x	1.29	x	176.88	x	0.63	x	0.7	=	90.57	(82)
Rooflights 0.9x	1	x	1.29	x	155.4	x	0.63	x	0.7	=	79.56	(82)
Rooflights 0.9x	1	x	1.29	x	126.86	x	0.63	x	0.7	=	64.95	(82)
Rooflights 0.9x	1	x	1.29	x	84.6	x	0.63	x	0.7	=	43.31	(82)
Rooflights 0.9x	1	x	1.29	x	48.93	x	0.63	x	0.7	=	25.05	(82)
Rooflights 0.9x	1	x	1.29	x	33.5	x	0.63	x	0.7	=	17.15	(82)

Solar gains in watts, calculated for each month

(83)m = Sum(74)m ... (82)m

(83)m=	274.51	491.58	734.89	1012.69	1225.84	1256.8	1195.15	1030.33	830.33	560.23	333.2	232.06	(83)
--------	--------	--------	--------	---------	---------	--------	---------	---------	--------	--------	-------	--------	------

Total gains – internal and solar (84)m = (73)m + (83)m , watts

(84)m=	829.62	1044.41	1269.45	1517.31	1699.26	1700.73	1620.29	1462.1	1277.79	1037.85	845.56	771.25	(84)
--------	--------	---------	---------	---------	---------	---------	---------	--------	---------	---------	--------	--------	------

7. Mean internal temperature (heating season)

Temperature during heating periods in the living area from Table 9, Th1 (°C)

21 (85)

Utilisation factor for gains for living area, h1,m (see Table 9a)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(86)m=	1	1	0.99	0.97	0.91	0.78	0.64	0.71	0.9	0.98	1	1	(86)

Mean internal temperature in living area T1 (follow steps 3 to 7 in Table 9c)

(87)m=	18.96	19.17	19.53	20.02	20.48	20.8	20.93	20.9	20.62	20.03	19.41	18.93	(87)
--------	-------	-------	-------	-------	-------	------	-------	------	-------	-------	-------	-------	------

Temperature during heating periods in rest of dwelling from Table 9, Th2 (°C)

(88)m=	19.49	19.5	19.5	19.51	19.52	19.53	19.53	19.53	19.52	19.52	19.51	19.5	(88)
--------	-------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	------	------

Utilisation factor for gains for rest of dwelling, h2,m (see Table 9a)

(89)m=	1	0.99	0.98	0.95	0.86	0.67	0.46	0.53	0.83	0.97	1	1	(89)
--------	---	------	------	------	------	------	------	------	------	------	---	---	------

Mean internal temperature in the rest of dwelling T2 (follow steps 3 to 7 in Table 9c)

(90)m=	16.84	17.15	17.67	18.38	19.01	19.4	19.51	19.49	19.22	18.41	17.5	16.8	(90)
--------	-------	-------	-------	-------	-------	------	-------	-------	-------	-------	------	------	------

fLA = Living area ÷ (4) =

0.27 (91)

Mean internal temperature (for the whole dwelling) = fLA × T1 + (1 – fLA) × T2

(92)m=	17.41	17.69	18.17	18.82	19.4	19.78	19.89	19.87	19.6	18.84	18.02	17.37	(92)
--------	-------	-------	-------	-------	------	-------	-------	-------	------	-------	-------	-------	------

Apply adjustment to the mean internal temperature from Table 4e, where appropriate

(93)m=	17.41	17.69	18.17	18.82	19.4	19.78	19.89	19.87	19.6	18.84	18.02	17.37	(93)
--------	-------	-------	-------	-------	------	-------	-------	-------	------	-------	-------	-------	------

8. Space heating requirement

Set Ti to the mean internal temperature obtained at step 11 of Table 9b, so that Ti,m=(76)m and re-calculate the utilisation factor for gains using Table 9a

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
(94)m=	1	0.99	0.98	0.94	0.85	0.69	0.51	0.58	0.83	0.97	0.99	1	(94)

TER WorkSheet: New dwelling design stage



Useful gains, hmGm , W = (94)m x (84)m

(95)m=	826.35	1034.97	1241.3	1426.79	1450.42	1180.7	826.39	847.3	1066.95	1001.92	839.11	768.93	(95)
--------	--------	---------	--------	---------	---------	--------	--------	-------	---------	---------	--------	--------	------

Monthly average external temperature from Table 8

(96)m=	4.3	4.9	6.5	8.9	11.7	14.6	16.6	16.4	14.1	10.6	7.1	4.2	(96)
--------	-----	-----	-----	-----	------	------	------	------	------	------	-----	-----	------

Heat loss rate for mean internal temperature, Lm , W =[(39)m x [(93)m– (96)m]

(97)m=	3563.29	3468.5	3157.77	2654.52	2055.91	1367.59	869.01	915.38	1457.69	2200.24	2926.02	3547.52	(97)
--------	---------	--------	---------	---------	---------	---------	--------	--------	---------	---------	---------	---------	------

Space heating requirement for each month, kWh/month = 0.024 x [(97)m – (95)m] x (41)m

(98)m=	2036.28	1635.33	1425.85	883.97	450.48	0	0	0	0	891.55	1502.58	2067.27	(98)
--------	---------	---------	---------	--------	--------	---	---	---	---	--------	---------	---------	------

Total per year (kWh/year) = Sum(98)_{1...5,9...12} = 10893.3

Space heating requirement in kWh/m²/year

(99)	70.84
------	-------

9a. Energy requirements – Individual heating systems including micro-CHP)

Space heating:

Fraction of space heat from secondary/supplementary system

(201)	0
-------	---

Fraction of space heat from main system(s)

(202) = 1 – (201) =

(202)	1
-------	---

Fraction of total heating from main system 1

(204) = (202) x [1 – (203)] =

(204)	1
-------	---

Efficiency of main space heating system 1

(206)	93.5
-------	------

Efficiency of secondary/supplementary heating system, %

(208)	0
-------	---

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	kWh/year
--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----------

Space heating requirement (calculated above)

	2036.28	1635.33	1425.85	883.97	450.48	0	0	0	0	891.55	1502.58	2067.27
--	---------	---------	---------	--------	--------	---	---	---	---	--------	---------	---------

(211)m = {[(98)m x (204)] } x 100 ÷ (206)

	2177.84	1749.02	1524.97	945.42	481.8	0	0	0	0	953.52	1607.03	2210.99
--	---------	---------	---------	--------	-------	---	---	---	---	--------	---------	---------

Total (kWh/year) = Sum(211)_{1...5,10...12} = 11650.59

Space heating fuel (secondary), kWh/month

= {[(98)m x (201)] } x 100 ÷ (208)

(215)m=	0	0	0	0	0	0	0	0	0	0	0	0
---------	---	---	---	---	---	---	---	---	---	---	---	---

Total (kWh/year) = Sum(215)_{1...5,10...12} = 0

Water heating

Output from water heater (calculated above)

	221.44	195.15	204.89	183.6	179.86	160.63	154.19	169.3	169.04	190.38	201.41	216.08
--	--------	--------	--------	-------	--------	--------	--------	-------	--------	--------	--------	--------

Efficiency of water heater

(216)	79.8
-------	------

(217)m=	89.33	89.22	89	88.46	87.17	79.8	79.8	79.8	79.8	88.41	89.09	89.37	(217)
---------	-------	-------	----	-------	-------	------	------	------	------	-------	-------	-------	-------

Fuel for water heating, kWh/month

(219)m = (64)m x 100 ÷ (217)m

(219)m=	247.9	218.72	230.22	207.55	206.34	201.29	193.22	212.16	211.82	215.33	226.08	241.79
---------	-------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Total = Sum(219a)_{1...12} = 2612.42

Annual totals

Space heating fuel used, main system 1

(219)	11650.59
-------	----------

Water heating fuel used

(219)	2612.42
-------	---------

Electricity for pumps, fans and electric keep-hot

central heating pump:

(230c)	30
--------	----

TER WorkSheet: New dwelling design stage



boiler with a fan-assisted flue		45	(230e)
Total electricity for the above, kWh/year	sum of (230a)...(230g) =	75	(231)
Electricity for lighting		511.05	(232)
Total delivered energy for all uses (211)...(221) + (231) + (232)...(237b) =		14928.86	(338)

12a. CO2 emissions – Individual heating systems including micro-CHP

	Energy kWh/year	Emission factor kg CO2/kWh	Emissions kg CO2/year
Space heating (main system 1)	(211) x	0.216 =	2516.53 (261)
Space heating (secondary)	(215) x	0.519 =	0 (263)
Water heating	(219) x	0.216 =	564.28 (264)
Space and water heating	(261) + (262) + (263) + (264) =		3080.81 (265)
Electricity for pumps, fans and electric keep-hot	(231) x	0.519 =	38.93 (267)
Electricity for lighting	(232) x	0.519 =	265.24 (268)
Total CO2, kg/year		sum of (265)...(271) =	3384.97 (272)
TER =			23.22 (273)